

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032479.D
 Acq On : 05 Jun 2019 22:24
 Operator : JC/SP
 Sample : K3213-17 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K8

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.395	89	95	104	rVB	84964	83737	11.79%	1.435%
2	1.672	174	181	196	rVB	68562	85993	12.11%	1.474%
3	2.267	357	366	379	rVB	145963	221102	31.14%	3.790%
4	2.833	529	542	558	rVB	8626	18201	2.56%	0.312%
5	3.109	625	628	634	rVB	178	138	0.02%	0.002%
6	3.202	655	657	661	rBV	156	106	0.01%	0.002%
7	3.302	686	688	691	rVB	210	97	0.01%	0.002%
8	3.440	729	731	733	rBV	196	99	0.01%	0.002%
9	3.675	802	804	808	rVB	209	112	0.02%	0.002%
10	3.727	815	820	822	rVV	191	137	0.02%	0.002%
11	3.952	886	890	896	rVB2	252	226	0.03%	0.004%
12	3.987	896	901	903	rBV	148	114	0.02%	0.002%
13	4.029	908	914	919	rBV	149	211	0.03%	0.004%
14	4.170	946	958	987	rBV	71171	199556	28.11%	3.421%
15	4.640	1089	1104	1134	rVB	114866	271808	38.28%	4.659%
16	4.929	1191	1194	1195	rBV	202	118	0.02%	0.002%
17	5.019	1220	1222	1226	rBV	200	101	0.01%	0.002%
18	5.080	1237	1241	1243	rBV2	158	121	0.02%	0.002%
19	5.138	1257	1259	1263	rVB2	213	146	0.02%	0.003%
20	5.180	1268	1272	1278	rVB	255	303	0.04%	0.005%
21	5.209	1278	1281	1288	rBV2	246	274	0.04%	0.005%
22	5.331	1297	1319	1351	rBV2	242195	709961	100.00%	12.171%
23	5.656	1416	1420	1422	rBV	224	165	0.02%	0.003%
24	5.672	1422	1425	1427	rVV2	251	136	0.02%	0.002%
25	5.707	1432	1436	1438	rVV2	262	170	0.02%	0.003%
26	5.791	1459	1462	1465	rBV	337	182	0.03%	0.003%
27	5.881	1476	1490	1519	rBV	244249	481768	67.86%	8.259%
28	6.173	1572	1581	1593	rVB6	3547	7082	1.00%	0.121%
29	6.218	1593	1595	1602	rVB2	340	421	0.06%	0.007%
30	6.254	1602	1606	1610	rBV2	225	205	0.03%	0.004%
31	6.325	1613	1628	1648	rBV	160043	317622	44.74%	5.445%
32	6.569	1699	1704	1711	rVB2	295	353	0.05%	0.006%
33	6.659	1727	1732	1735	rBV2	268	233	0.03%	0.004%
34	6.755	1758	1762	1767	rVB	132	121	0.02%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032479.D
 Acq On : 05 Jun 2019 22:24
 Operator : JC/SP
 Sample : K3213-17 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K8

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Title : VOC Analysis

35	6.784	1767	1771	1773	rBV	151	106	0.01%	0.002%
36	6.826	1777	1784	1788	rBV	192	143	0.02%	0.002%
37	6.881	1798	1801	1805	rVV	193	144	0.02%	0.002%
38	6.897	1805	1806	1812	rVB	230	105	0.01%	0.002%
39	6.955	1821	1824	1828	rBV	230	178	0.03%	0.003%
40	6.977	1828	1831	1833	rBV	155	114	0.02%	0.002%
41	7.035	1848	1849	1855	rVB	179	109	0.02%	0.002%
42	7.064	1855	1858	1861	rBV	216	131	0.02%	0.002%
43	7.138	1878	1881	1886	rVB2	196	214	0.03%	0.004%
44	7.225	1897	1908	1925	rBV	91156	164952	23.23%	2.828%
45	7.440	1972	1975	1978	rVV2	387	318	0.04%	0.005%
46	7.479	1984	1987	1989	rBV2	335	167	0.02%	0.003%
47	7.559	1997	2012	2031	rBV	343776	597156	84.11%	10.237%
48	7.810	2087	2090	2091	rBV2	287	211	0.03%	0.004%
49	7.845	2091	2101	2120	rVV	61725	107509	15.14%	1.843%
50	8.029	2156	2158	2162	rVB2	240	136	0.02%	0.002%
51	8.128	2187	2189	2190	rBV	287	119	0.02%	0.002%
52	8.164	2195	2200	2201	rBV	306	271	0.04%	0.005%
53	8.305	2233	2244	2286	rBV	206511	400639	56.43%	6.868%
54	8.623	2334	2343	2350	rBV5	907	1926	0.27%	0.033%
55	8.688	2360	2363	2366	rBV	151	112	0.02%	0.002%
56	8.739	2376	2379	2382	rBV	206	141	0.02%	0.002%
57	8.939	2437	2441	2443	rBV	208	179	0.03%	0.003%
58	9.035	2468	2471	2474	rVB2	196	154	0.02%	0.003%
59	9.083	2474	2486	2520	rBV	350918	598233	84.26%	10.255%
60	9.263	2537	2542	2550	rVB2	455	682	0.10%	0.012%
61	9.302	2550	2554	2557	rBV2	376	362	0.05%	0.006%
62	9.347	2565	2568	2572	rVB	235	166	0.02%	0.003%
63	9.389	2578	2581	2586	rVV	312	202	0.03%	0.003%
64	9.434	2590	2595	2599	rVV2	204	226	0.03%	0.004%
65	9.469	2603	2606	2608	rBV	191	128	0.02%	0.002%
66	9.521	2617	2622	2626	rVB2	342	313	0.04%	0.005%
67	9.540	2626	2628	2631	rBV2	189	147	0.02%	0.003%
68	9.611	2645	2650	2652	rBV	156	153	0.02%	0.003%
69	9.755	2693	2695	2700	rVB2	187	135	0.02%	0.002%
70	9.836	2716	2720	2724	rBV2	198	233	0.03%	0.004%
71	9.996	2766	2770	2775	rBV2	188	233	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060619\
 Data File : VU032479.D
 Acq On : 05 Jun 2019 22:24
 Operator : JC/SP
 Sample : K3213-17 50X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8K8

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Title : VOC Analysis

72	10.019	2775	2777	2780	rVB2	230	130	0.02%	0.002%
73	10.096	2797	2801	2802	rBV	186	139	0.02%	0.002%
74	10.141	2811	2815	2818	rBV2	251	206	0.03%	0.004%
75	10.250	2846	2849	2852	rBV	197	109	0.02%	0.002%
76	10.328	2869	2873	2882	rVB2	205	200	0.03%	0.003%
77	10.366	2882	2885	2888	rBV2	158	97	0.01%	0.002%
78	10.427	2892	2904	2929	rBV	230434	374722	52.78%	6.424%
79	10.588	2946	2954	2957	rBV2	468	576	0.08%	0.010%
80	10.704	2987	2990	2993	rBV	225	109	0.02%	0.002%
81	10.768	3006	3010	3014	rBV	765	779	0.11%	0.013%
82	10.884	3043	3046	3050	rBV2	429	244	0.03%	0.004%
83	11.006	3079	3084	3088	rVB2	163	139	0.02%	0.002%
84	11.029	3088	3091	3099	rBV2	360	416	0.06%	0.007%
85	11.096	3109	3112	3115	rVB2	357	231	0.03%	0.004%
86	11.199	3142	3144	3149	rBV	179	133	0.02%	0.002%
87	11.231	3151	3154	3159	rVB2	276	230	0.03%	0.004%
88	11.283	3168	3170	3173	rVB2	294	176	0.02%	0.003%
89	11.299	3173	3175	3178	rBV2	200	132	0.02%	0.002%
90	11.395	3203	3205	3208	rBV2	198	132	0.02%	0.002%
91	11.437	3213	3218	3220	rBV2	312	295	0.04%	0.005%
92	11.479	3220	3231	3259	rBV	373179	595674	83.90%	10.211%
93	11.855	3335	3348	3373	rBV	344098	579342	81.60%	9.931%
94	12.205	3456	3457	3464	rVB	419	357	0.05%	0.006%
95	12.430	3524	3527	3530	rBV	220	148	0.02%	0.003%
96	12.537	3558	3560	3564	rVB	297	137	0.02%	0.002%
97	12.598	3576	3579	3582	rBV2	184	136	0.02%	0.002%
98	12.794	3636	3640	3646	rVB2	274	302	0.04%	0.005%
99	12.983	3697	3699	3702	rVB	299	129	0.02%	0.002%
100	13.935	3991	3995	3998	rBV3	431	461	0.06%	0.008%

Sum of corrected areas: 5833447

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU060619\
Data File : VU032479.D
Acq On : 05 Jun 2019 22:24
Operator : JC/SP
Sample : K3213-17 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K8

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU060619\
Data File : VU032479.D
Acq On : 05 Jun 2019 22:24
Operator : JC/SP
Sample : K3213-17 50X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8K8

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc