

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060819\
 Data File : VU032547.D
 Acq On : 08 Jun 2019 17:02
 Operator : JC/SP
 Sample : K3276-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8F3

Quant Time: Jun 08 23:46:46 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 08 23:12:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	203562	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	193979	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	97006	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	72518	54.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	109.82%
7) Chloroethane-d5	1.68	69	57526	54.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	108.40%
11) 1,1-Dichloroethene-d2	2.27	63	105401	40.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.52%
21) 2-Butanone-d5	4.17	46	115506	104.51	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.51%
24) Chloroform-d	4.64	84	125874	51.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.20%
26) 1,2-Dichloroethane-d4	5.30	65	82563	53.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.42%
32) Benzene-d6	5.33	84	264738	52.57	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.14%
36) 1,2-Dichloropropane-d6	6.32	67	82826	52.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	104.90%
41) Toluene-d8	7.56	98	244079	51.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.24%
43) trans-1,3-Dichloropropene-	7.85	79	38680	51.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	102.38%
47) 2-Hexanone-d5	8.31	63	76548	99.94	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.94%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	113401	49.56	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.12%
64) 1,2-Dichlorobenzene-d4	11.85	152	97828	52.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.30%


Target Compounds					Ovalue
13) Acetone	2.32	43	4689	4.112 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060819\
Data File : VU032547.D
Acq On : 08 Jun 2019 17:02
Operator : JC/SP
Sample : K3276-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8F3

Quant Time: Jun 08 23:46:46 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 08 23:12:44 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.112 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU032547.D

Acq: 08 Jun 2019 17:02

Instrument :

MSVOA_U

ClientSampleId :

DB8F3

Tot Ion: 43 Resp: 4689

Ion Ratio Lower Upper

43 100

58 26.7 0.0 64.0

