

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060820\
 Data File : VU038662.D
 Acq On : 08 Jun 2020 12:01
 Operator : SY/MD
 Sample : L2911-04DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D05DL

Quant Time: Jun 10 11:51:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 09 00:46:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	355876	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	359476	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	183294	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	78992	3.43	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	68.60%
7) Chloroethane-d5	1.93	69	62662	3.54	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	70.80%
11) 1,1-Dichloroethene-d2	2.58	63	128087	2.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.60%#
20) 2-Butanone-d5	4.68	46	354153	50.62	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.24%
24) Chloroform-d	5.10	84	187850	4.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.80%
26) 1,2-Dichloroethane-d4	5.74	65	112861	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
32) Benzene-d6	5.76	84	377601	4.21	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.20%
36) 1,2-Dichloropropane-d6	6.72	67	120055	4.35	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.00%
41) Toluene-d8	7.92	98	325134	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.80%
43) trans-1,3-Dichloropropene-	8.20	79	47781	4.03	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.60%
46) 2-Hexanone-d5	8.66	63	307807	52.52	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.04%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	111278	4.75	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	95.00%
64) 1,2-Dichlorobenzene-d4	12.21	152	139195	4.40	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	88.00%

Target Compounds

					Ovalue
30) Cyclohexane	5.42	56	18163	0.455 ug/L	95
33) Benzene	5.81	78	768642	7.668 ug/L	100
35) Methylcyclohexane	6.78	83	9388	0.233 ug/L #	51
42) Toluene	7.99	91	32024	0.305 ug/L	94
52) Ethylbenzene	9.59	91	47852	0.409 ug/L	100
54) o-Xylene	10.12	106	3174	0.073 ug/L	91
56) Isopropylbenzene	10.50	105	21477	0.189 ug/L #	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060820\
Data File : VU038662.D
Acq On : 08 Jun 2020 12:01
Operator : SY/MD
Sample : L2911-04DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D05DL

Quant Time: Jun 10 11:51:04 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 09 00:46:08 2020
Response via : Initial Calibration

