

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060820\
 Data File : VU038667.D
 Acq On : 08 Jun 2020 13:56
 Operator : SY/MD
 Sample : L2910-21
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Jun 09 01:32:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 09 00:46:08 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	311317	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	308932	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	143819	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	112429	5.58	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	111.60%
7) Chloroethane-d5	1.93	69	90503	5.84	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.80%
11) 1,1-Dichloroethene-d2	2.59	63	169663	4.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.60%
20) 2-Butanone-d5	4.68	46	377902	61.74	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.48%
24) Chloroform-d	5.10	84	211682	5.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.80%
26) 1,2-Dichloroethane-d4	5.74	65	124969	5.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.40%
32) Benzene-d6	5.76	84	443416	5.75	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	115.00%
36) 1,2-Dichloropropane-d6	6.72	67	134150	5.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	113.20%
41) Toluene-d8	7.92	98	375271	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.40%
43) trans-1,3-Dichloropropene-	8.20	79	55009	5.39	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	107.80%
46) 2-Hexanone-d5	8.65	63	317395	63.02	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	126.04%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	113267	5.63	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.60%
64) 1,2-Dichlorobenzene-d4	12.20	152	150544	6.07	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	121.40%#


Target Compounds					Ovalue
16) Methylene chloride	3.08	84	2334	0.108 ug/L	75


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060820\
Data File : VU038667.D
Acq On : 08 Jun 2020 13:56
Operator : SY/MD
Sample : L2910-21
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Jun 09 01:32:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 09 00:46:08 2020
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.108 ug/L
RT: 3.08 min Scan# 540
Delta R.T. -0.00 min
Lab File: VU038667.D
Acq: 08 Jun 2020 13:56

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 2334

Ion	Ratio	Lower	Upper
84	100		
86	47.7	45.0	83.6
49	91.6	85.5	158.9

