

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060922\
 Data File : VU048988.D
 Acq On : 09 Jun 2022 20:03
 Operator : SY/MD
 Sample : N3248-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYY4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M

Title : VOC Analysis

Signal : TIC: VU048988.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	95	rBV	143787	161946	13.11%	1.462%
2	1.896	165	173	186	rVB	104337	137612	11.14%	1.242%
3	2.369	318	320	323	rBV3	850	376	0.03%	0.003%
4	2.562	367	380	396	rBV2	252776	426627	34.53%	3.851%
5	2.774	443	446	450	rBV4	604	503	0.04%	0.005%
6	2.800	450	454	458	rVB4	607	534	0.04%	0.005%
7	2.887	478	481	483	rBV2	511	330	0.03%	0.003%
8	2.957	498	503	507	rVB3	430	397	0.03%	0.004%
9	2.986	507	512	515	rBV2	257	261	0.02%	0.002%
10	3.035	523	527	529	rBV2	893	700	0.06%	0.006%
11	3.170	565	569	570	rBV	469	315	0.03%	0.003%
12	3.189	570	575	580	rVB2	846	956	0.08%	0.009%
13	3.276	598	602	604	rBV	515	387	0.03%	0.003%
14	3.353	616	626	637	rBV6	3494	7742	0.63%	0.070%
15	3.736	737	745	747	rBV2	391	508	0.04%	0.005%
16	3.867	767	786	806	rBV2	72295	172621	13.97%	1.558%
17	3.977	816	820	824	rBV2	439	382	0.03%	0.003%
18	4.346	931	935	939	rVB2	247	241	0.02%	0.002%
19	4.382	942	946	952	rBV2	343	367	0.03%	0.003%
20	4.485	974	978	987	rBV	267	273	0.02%	0.002%
21	4.536	987	994	998	rBV	357	340	0.03%	0.003%
22	4.620	1007	1020	1052	rBV	157488	423762	34.30%	3.826%
23	4.864	1092	1096	1099	rBV2	306	256	0.02%	0.002%
24	4.973	1126	1130	1133	rBV	270	240	0.02%	0.002%
25	5.063	1140	1158	1184	rVB	231593	506518	40.99%	4.573%
26	5.163	1184	1189	1194	rVB4	675	933	0.08%	0.008%
27	5.189	1194	1197	1200	rBV2	511	424	0.03%	0.004%
28	5.215	1203	1205	1212	rVB2	571	426	0.03%	0.004%
29	5.314	1218	1236	1259	rBV	432171	968972	78.42%	8.748%
30	5.481	1285	1288	1292	rVB2	443	264	0.02%	0.002%
31	5.523	1298	1301	1303	rVV2	477	261	0.02%	0.002%
32	5.543	1303	1307	1312	rVB2	305	273	0.02%	0.002%
33	5.723	1342	1363	1387	rBV2	455743	1235577	100.00%	11.154%
34	5.903	1417	1419	1423	rVB2	360	257	0.02%	0.002%
35	6.247	1512	1526	1548	rBV	380894	726705	58.82%	6.560%
36	6.543	1606	1618	1631	rVV4	17965	36497	2.95%	0.329%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060922\
 Data File : VU048988.D
 Acq On : 09 Jun 2022 20:03
 Operator : SY/MD
 Sample : N3248-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYY4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
 Title : VOC Analysis

37	6.600	1631	1636	1643	rVV5	966	971	0.08%	0.009%
38	6.690	1649	1664	1691	rVV	297147	575321	46.56%	5.194%
39	6.803	1696	1699	1702	rVV3	718	614	0.05%	0.006%
40	6.822	1702	1705	1711	rVB4	606	533	0.04%	0.005%
41	6.938	1737	1741	1746	rBV2	347	336	0.03%	0.003%
42	6.980	1751	1754	1759	rVB2	611	488	0.04%	0.004%
43	7.176	1807	1815	1816	rBV4	1305	1509	0.12%	0.014%
44	7.215	1825	1827	1830	rVB2	534	295	0.02%	0.003%
45	7.256	1836	1840	1844	rVB3	292	269	0.02%	0.002%
46	7.350	1865	1869	1872	rBV2	293	272	0.02%	0.002%
47	7.565	1923	1936	1952	rBV	161433	281860	22.81%	2.545%
48	7.684	1970	1973	1975	rVV	556	385	0.03%	0.003%
49	7.697	1975	1977	1981	rVB3	646	348	0.03%	0.003%
50	7.764	1995	1998	2001	rVB3	345	269	0.02%	0.002%
51	7.787	2001	2005	2007	rBV2	453	344	0.03%	0.003%
52	7.806	2008	2011	2015	rVB2	315	242	0.02%	0.002%
53	7.832	2015	2019	2022	rBV	340	240	0.02%	0.002%
54	7.896	2026	2039	2061	rBV	561816	958095	77.54%	8.649%
55	8.179	2113	2127	2143	rBV	117628	195619	15.83%	1.766%
56	8.398	2191	2195	2202	rVB5	1160	1233	0.10%	0.011%
57	8.462	2212	2215	2220	rBV3	800	686	0.06%	0.006%
58	8.552	2233	2243	2256	rVB2	41051	69079	5.59%	0.624%
59	8.632	2256	2268	2294	rBV	461694	845657	68.44%	7.634%
60	8.870	2337	2342	2346	rBV3	289	319	0.03%	0.003%
61	9.308	2476	2478	2486	rVB2	385	477	0.04%	0.004%
62	9.417	2498	2512	2545	rBV	537643	880052	71.23%	7.945%
63	9.562	2554	2557	2563	rBV3	573	616	0.05%	0.006%
64	9.697	2591	2599	2606	rBV4	1224	1936	0.16%	0.017%
65	10.102	2719	2725	2726	rBV3	446	356	0.03%	0.003%
66	10.378	2808	2811	2820	rVB2	272	353	0.03%	0.003%
67	10.642	2888	2893	2899	rVB2	432	552	0.04%	0.005%
68	10.674	2899	2903	2905	rBV2	335	259	0.02%	0.002%
69	10.758	2915	2929	2951	rVB	453468	735126	59.50%	6.636%
70	10.890	2967	2970	2972	rBV2	772	570	0.05%	0.005%
71	10.999	3000	3004	3008	rBV3	490	423	0.03%	0.004%
72	11.169	3055	3057	3064	rBV2	296	279	0.02%	0.003%
73	11.259	3079	3085	3088	rBV	418	372	0.03%	0.003%
74	11.472	3143	3151	3163	rVB5	2385	3802	0.31%	0.034%
75	11.626	3195	3199	3203	rBV	257	259	0.02%	0.002%
76	11.812	3244	3257	3276	rBV	506098	820732	66.42%	7.409%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060922\
 Data File : VU048988.D
 Acq On : 09 Jun 2022 20:03
 Operator : SY/MD
 Sample : N3248-13
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYY4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
 Title : VOC Analysis

77	11.944	3294	3298	3301	rVB3	447	334	0.03%	0.003%
78	12.076	3334	3339	3341	rVV2	590	540	0.04%	0.005%
79	12.192	3359	3375	3397	rBV	527153	868691	70.31%	7.842%
80	12.365	3426	3429	3432	rVB	442	321	0.03%	0.003%
81	12.385	3432	3435	3439	rBV2	354	355	0.03%	0.003%
82	12.484	3462	3466	3467	rBV2	1520	987	0.08%	0.009%
83	12.568	3488	3492	3497	rVB3	497	472	0.04%	0.004%
84	12.619	3503	3508	3509	rBV	340	248	0.02%	0.002%
85	12.742	3542	3546	3549	rBV	378	384	0.03%	0.003%
86	12.774	3549	3556	3566	rVB4	2333	3392	0.27%	0.031%
87	12.822	3566	3571	3574	rBV2	459	506	0.04%	0.005%
88	12.883	3587	3590	3592	rBV2	422	306	0.02%	0.003%
89	12.960	3611	3614	3616	rBV	370	273	0.02%	0.002%
90	13.076	3644	3650	3653	rBV2	427	455	0.04%	0.004%
91	13.144	3668	3671	3675	rVB2	471	276	0.02%	0.002%
92	13.365	3737	3740	3745	rVB2	416	385	0.03%	0.003%
93	13.533	3789	3792	3795	rBV2	517	289	0.02%	0.003%
94	13.697	3841	3843	3847	rBV3	458	272	0.02%	0.002%
95	13.915	3904	3911	3912	rBV2	591	712	0.06%	0.006%
96	15.227	4316	4319	4322	rBV3	575	408	0.03%	0.004%
97	15.262	4328	4330	4332	rBV2	521	274	0.02%	0.002%
98	15.459	4389	4391	4396	rVB3	883	555	0.04%	0.005%
99	15.574	4425	4427	4429	rBV2	629	237	0.02%	0.002%
100	15.880	4519	4522	4523	rBV2	765	439	0.04%	0.004%

Sum of corrected areas: 11077042

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060922\
Data File : VU048988.D
Acq On : 09 Jun 2022 20:03
Operator : SY/MD
Sample : N3248-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYY4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060922\
Data File : VU048988.D
Acq On : 09 Jun 2022 20:03
Operator : SY/MD
Sample : N3248-13
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYY4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM051622WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------