

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061019\
 Data File : VU032588.D
 Acq On : 11 Jun 2019 00:14
 Operator : JC/SP
 Sample : VIBLK41
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK41

Quant Time: Jun 11 07:18:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 11 05:38:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	181214	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	172298	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	87380	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	59443	50.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	101.12%
7) Chloroethane-d5	1.68	69	48898	51.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	103.52%
11) 1,1-Dichloroethene-d2	2.27	63	88946	38.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.28%
21) 2-Butanone-d5	4.17	46	105236	106.96	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.96%
24) Chloroform-d	4.64	84	111123	50.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.36%
26) 1,2-Dichloroethane-d4	5.31	65	72439	52.44	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.88%
32) Benzene-d6	5.33	84	230129	51.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.90%
36) 1,2-Dichloropropane-d6	6.32	67	71430	50.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.86%
41) Toluene-d8	7.56	98	211027	49.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.52%
43) trans-1,3-Dichloropropene-	7.85	79	33301	49.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.22%
47) 2-Hexanone-d5	8.31	63	64945	95.46	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.46%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	103715	51.03	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.06%
64) 1,2-Dichlorobenzene-d4	11.85	152	86825	51.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.76%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061019\
Data File : VU032588.D
Acq On : 11 Jun 2019 00:14
Operator : JC/SP
Sample : VIBLK41
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK41

Quant Time: Jun 11 07:18:20 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 11 05:38:55 2019
Response via : Initial Calibration

