

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061019\
 Data File : VU032555.D
 Acq On : 10 Jun 2019 10:41
 Operator : JC/SP
 Sample : K3277-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8A9

Quant Time: Jun 11 05:07:42 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 11 04:40:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	213021	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	196217	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	101982	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	66209	47.91	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	95.82%
7) Chloroethane-d5	1.68	69	54537	49.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.20%
11) 1,1-Dichloroethene-d2	2.27	63	99180	36.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.30%
21) 2-Butanone-d5	4.17	46	109374	94.57	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.57%
24) Chloroform-d	4.64	84	118932	46.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.28%
26) 1,2-Dichloroethane-d4	5.30	65	78155	48.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.26%
32) Benzene-d6	5.33	84	252718	49.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.22%
36) 1,2-Dichloropropane-d6	6.32	67	79404	49.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.42%
41) Toluene-d8	7.56	98	233496	48.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.68%
43) trans-1,3-Dichloropropene-	7.85	79	39019	51.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	102.10%
47) 2-Hexanone-d5	8.31	63	68525	88.44	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.44%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	102954	44.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.96%
64) 1,2-Dichlorobenzene-d4	11.85	152	95540	48.91	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.82%


Target Compounds					Ovalue
13) Acetone	2.33	43	5954	4.989 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061019\
Data File : VU032555.D
Acq On : 10 Jun 2019 10:41
Operator : JC/SP
Sample : K3277-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8A9

Quant Time: Jun 11 05:07:42 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 11 04:40:52 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.989 ug/L
 RT: 2.33 min Scan# 386
 Delta R.T. 0.02 min
 Lab File: VU032555.D
 Acq: 10 Jun 2019 10:41

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8A9

Tot Ion: 43 Resp: 5954
 Ion Ratio Lower Upper
 43 100
 58 28.6 0.0 64.0

