

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061019\
 Data File : VU032573.D
 Acq On : 10 Jun 2019 18:30
 Operator : JC/SP
 Sample : K3277-06DL 5X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8B1DL

Quant Time: Jun 11 06:37:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 11 05:38:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	188204	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	178427	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	90646	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	55202	45.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.42%
7) Chloroethane-d5	1.68	69	47080	47.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.96%
11) 1,1-Dichloroethene-d2	2.27	63	84683	35.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.84%
21) 2-Butanone-d5	4.17	46	105533	103.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.28%
24) Chloroform-d	4.64	84	110840	48.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.34%
26) 1,2-Dichloroethane-d4	5.30	65	74221	51.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.48%
32) Benzene-d6	5.33	84	226241	48.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.68%
36) 1,2-Dichloropropane-d6	6.32	67	72624	50.00	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.00%
41) Toluene-d8	7.56	98	209841	47.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.56%
43) trans-1,3-Dichloropropene-	7.85	79	34715	49.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.88%
47) 2-Hexanone-d5	8.31	63	63397	89.98	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	89.98%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	104136	49.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.96%
64) 1,2-Dichlorobenzene-d4	11.86	152	87140	50.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.38%


Target Compounds					Ovalue
34) Trichloroethene	6.18	95	90976	66.702 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061019\
Data File : VU032573.D
Acq On : 10 Jun 2019 18:30
Operator : JC/SP
Sample : K3277-06DL 5X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8B1DL

Quant Time: Jun 11 06:37:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 11 05:38:55 2019
Response via : Initial Calibration





#34

Trichloroethene

Concen: 66.702 ug/L

RT: 6.18 min Scan# 1583

Delta R.T. -0.00 min

Lab File: VU032573.D

Acq: 10 Jun 2019 18:30

Instrument :

MSVOA_U

ClientSampleId :

DB8B1DL

Tot Ion: 95 Resp: 90976


Ion Ratio Lower Upper

95 100

97 65.5 45.8 85.2

132 101.8 71.0 131.8

130 106.3 73.4 136.2



Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 97.00 (96.70 to 97.70): VU0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

