

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061019\
 Data File : VU032574.D
 Acq On : 10 Jun 2019 18:53
 Operator : JC/SP
 Sample : K3277-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8B5

Quant Time: Jun 11 06:39:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Jun 11 05:38:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	190408	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	180655	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91078	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	60908	49.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	98.60%
7) Chloroethane-d5	1.68	69	48872	49.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.46%
11) 1,1-Dichloroethene-d2	2.27	63	89646	37.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	74.12%
21) 2-Butanone-d5	4.17	46	113331	109.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	109.62%
24) Chloroform-d	4.64	84	112458	48.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.62%
26) 1,2-Dichloroethane-d4	5.30	65	74347	51.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.44%
32) Benzene-d6	5.33	84	235356	50.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.36%
36) 1,2-Dichloropropane-d6	6.32	67	73720	50.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.26%
41) Toluene-d8	7.56	98	219396	49.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.68%
43) trans-1,3-Dichloropropene-	7.85	79	34153	48.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.06%
47) 2-Hexanone-d5	8.31	63	66118	92.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	92.69%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	101105	47.45	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.90%
64) 1,2-Dichlorobenzene-d4	11.85	152	88036	50.47	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.94%


Target Compounds					Ovalue
13) Acetone	2.31	43	4535	4.251 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061019\
Data File : VU032574.D
Acq On : 10 Jun 2019 18:53
Operator : JC/SP
Sample : K3277-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8B5

Quant Time: Jun 11 06:39:15 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Jun 11 05:38:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.251 ug/L

RT: 2.31 min Scan# 381

Delta R.T. -0.00 min

Lab File: VU032574.D

Acq: 10 Jun 2019 18:53

Instrument :

MSVOA_U

ClientSampleId :

DB8B5

Tot Ion: 43 Resp: 4535

Ion Ratio Lower Upper

43 100

58 28.2 0.0 64.0

