

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061020\
 Data File : VU038754.D
 Acq On : 10 Jun 2020 03:59
 Operator : SY/MD
 Sample : VU0610WBL02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK42

Quant Time: Jun 10 06:38:34 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 10 06:36:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	565802	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	559028	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	260707	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	134825	42.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.30%
7) Chloroethane-d5	1.93	69	117059	47.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	95.46%
11) 1,1-Dichloroethene-d2	2.59	63	227542	33.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.06%
21) 2-Butanone-d5	4.66	46	303201	98.59	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.59%
24) Chloroform-d	5.10	84	309248	45.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.74%
26) 1,2-Dichloroethane-d4	5.74	65	214991	47.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.18%
32) Benzene-d6	5.76	84	629547	46.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.50%
36) 1,2-Dichloropropane-d6	6.72	67	192923	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.98%
41) Toluene-d8	7.92	98	557008	45.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.54%
43) trans-1,3-Dichloropropene-	8.20	79	89055	42.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.24%
47) 2-Hexanone-d5	8.65	63	217280	98.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.36%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	280397	45.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.58%
64) 1,2-Dichlorobenzene-d4	12.20	152	225406	49.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.60%


Target Compounds					Ovalue
39) cis-1,3-Dichloropropene	7.59	75	5784	0.867 ug/L	# 68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061020\
Data File : VU038754.D
Acq On : 10 Jun 2020 03:59
Operator : SY/MD
Sample : VU0610WBL02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK42

Quant Time: Jun 10 06:38:34 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 10 06:36:11 2020
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene
 Concen: 0.867 ug/L
 RT: 7.59 min Scan# 1945
 Delta R.T. -0.04 min
 Lab File: VU038754.D
 Acq: 10 Jun 2020 03:59

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK42

Tot Ion: 75 Resp: 5784
 Ion Ratio Lower Upper
 75 100
 77 49.4 22.2 41.2#

