

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061020\
 Data File : VU038747.D
 Acq On : 10 Jun 2020 00:40
 Operator : SY/MD
 Sample : L2897-19
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW0K8

Quant Time: Jun 10 06:15:28 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 10 05:09:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	549701	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	537702	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	249683	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	137420	44.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.48%
7) Chloroethane-d5	1.93	69	124612	52.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.60%
11) 1,1-Dichloroethene-d2	2.59	63	233096	34.82	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.64%
21) 2-Butanone-d5	4.66	46	319886	107.06	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.06%
24) Chloroform-d	5.10	84	326957	49.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.76%
26) 1,2-Dichloroethane-d4	5.74	65	225920	51.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.96%
32) Benzene-d6	5.76	84	663215	51.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.40%
36) 1,2-Dichloropropane-d6	6.72	67	206369	51.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.40%
41) Toluene-d8	7.92	98	570402	48.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.46%
43) trans-1,3-Dichloropropene-	8.20	79	96247	47.89	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.78%
47) 2-Hexanone-d5	8.65	63	231127	108.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.78%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	305714	51.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.68%
64) 1,2-Dichlorobenzene-d4	12.20	152	235312	54.28	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.56%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061020\
Data File : VU038747.D
Acq On : 10 Jun 2020 00:40
Operator : SY/MD
Sample : L2897-19
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW0K8

Quant Time: Jun 10 06:15:28 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 10 05:09:22 2020
Response via : Initial Calibration

