

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061020\
 Data File : VU038763.D
 Acq On : 10 Jun 2020 07:18
 Operator : SY/MD
 Sample : VIBLK
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VIBLK

Quant Time: Jun 10 08:19:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 10 06:36:11 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	567384	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	561359	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	258516	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	137192	43.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.56%
7) Chloroethane-d5	1.93	69	119860	48.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.48%
11) 1,1-Dichloroethene-d2	2.59	63	231173	33.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.92%
21) 2-Butanone-d5	4.66	46	312250	101.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.25%
24) Chloroform-d	5.10	84	314343	45.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.98%
26) 1,2-Dichloroethane-d4	5.74	65	215582	47.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.18%
32) Benzene-d6	5.76	84	635945	47.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.06%
36) 1,2-Dichloropropane-d6	6.72	67	196648	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.38%
41) Toluene-d8	7.92	98	558816	45.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.46%
43) trans-1,3-Dichloropropene-	8.20	79	90433	43.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.20%
47) 2-Hexanone-d5	8.65	63	222790	100.43	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.43%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	283322	45.58	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.16%
64) 1,2-Dichlorobenzene-d4	12.20	152	227087	50.59	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.18%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061020\
Data File : VU038763.D
Acq On : 10 Jun 2020 07:18
Operator : SY/MD
Sample : VIBLK
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VIBLK

Quant Time: Jun 10 08:19:29 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 10 06:36:11 2020
Response via : Initial Calibration

