

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049016.D
 Acq On : 10 Jun 2022 22:56
 Operator : SY/MD
 Sample : N3254-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

Signal : TIC: VU049016.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	93	rBV	107405	116689	12.16%	1.520%
2	1.896	165	173	194	rVB	76222	105052	10.94%	1.368%
3	2.562	368	380	394	rBV	181847	301536	31.41%	3.928%
4	2.867	473	475	476	rBV	362	94	0.01%	0.001%
5	3.034	524	527	531	rBV2	377	247	0.03%	0.003%
6	3.070	537	538	539	rBV	263	82	0.01%	0.001%
7	3.131	555	557	558	rBV	54	24	0.00%	0.000%
8	3.150	558	563	564	rVV	245	186	0.02%	0.002%
9	3.182	565	573	583	rVV2	1073	2427	0.25%	0.032%
10	3.379	631	634	636	rBV2	124	73	0.01%	0.001%
11	3.407	640	643	649	rVB	328	229	0.02%	0.003%
12	3.436	650	652	654	rVB2	199	85	0.01%	0.001%
13	3.452	654	657	660	rBV	275	200	0.02%	0.003%
14	3.514	668	676	680	rBV2	535	678	0.07%	0.009%
15	3.716	734	739	743	rBV	421	402	0.04%	0.005%
16	3.755	749	751	756	rVB	424	229	0.02%	0.003%
17	3.787	756	761	765	rBV2	149	187	0.02%	0.002%
18	4.124	863	866	871	rBV2	215	158	0.02%	0.002%
19	4.205	887	891	895	rBV	259	287	0.03%	0.004%
20	4.279	910	914	917	rBV2	234	269	0.03%	0.004%
21	4.330	925	930	932	rBV2	202	212	0.02%	0.003%
22	4.420	955	958	961	rBV	288	175	0.02%	0.002%
23	4.456	966	969	971	rBV	147	80	0.01%	0.001%
24	4.497	979	982	986	rBV2	241	190	0.02%	0.002%
25	4.520	986	989	994	rVB	312	199	0.02%	0.003%
26	4.620	1007	1020	1043	rBV	121180	292082	30.43%	3.805%
27	4.957	1123	1125	1127	rBV	319	149	0.02%	0.002%
28	5.063	1141	1158	1181	rBV2	187405	411921	42.92%	5.366%
29	5.189	1196	1197	1201	rBV	232	95	0.01%	0.001%
30	5.349	1244	1247	1250	rBV	238	146	0.02%	0.002%
31	5.446	1274	1277	1279	rBV2	178	107	0.01%	0.001%
32	5.613	1326	1329	1331	rBV	127	73	0.01%	0.001%
33	5.722	1342	1363	1391	rBV2	354433	959852	100.00%	12.504%
34	5.967	1436	1439	1445	rBV4	734	710	0.07%	0.009%
35	6.057	1465	1467	1474	rBV	292	275	0.03%	0.004%
36	6.112	1482	1484	1486	rVB2	196	83	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049016.D
 Acq On : 10 Jun 2022 22:56
 Operator : SY/MD
 Sample : N3254-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

37	6.153	1494	1497	1501	rVB2	194	122	0.01%	0.002%
38	6.176	1501	1504	1507	rVB	216	150	0.02%	0.002%
39	6.195	1507	1510	1512	rBV	254	191	0.02%	0.002%
40	6.247	1512	1526	1543	rBV	345995	653363	68.07%	8.511%
41	6.533	1606	1615	1623	rVB3	3159	4961	0.52%	0.065%
42	6.600	1634	1636	1637	rBV	240	57	0.01%	0.001%
43	6.690	1649	1664	1686	rBV	232407	447187	46.59%	5.825%
44	6.787	1691	1694	1698	rBV2	569	363	0.04%	0.005%
45	6.809	1698	1701	1703	rBV	597	356	0.04%	0.005%
46	6.877	1719	1722	1724	rBV	171	125	0.01%	0.002%
47	6.954	1744	1746	1747	rVB	160	34	0.00%	0.000%
48	6.999	1758	1760	1761	rBV	191	69	0.01%	0.001%
49	7.182	1806	1817	1827	rVB7	2214	4059	0.42%	0.053%
50	7.253	1837	1839	1841	rVB2	234	115	0.01%	0.001%
51	7.356	1869	1871	1875	rBV2	151	107	0.01%	0.001%
52	7.385	1878	1880	1884	rVB2	314	174	0.02%	0.002%
53	7.475	1906	1908	1910	rBV2	184	122	0.01%	0.002%
54	7.494	1911	1914	1917	rVV	226	188	0.02%	0.002%
55	7.565	1923	1936	1953	rBV2	115540	203469	21.20%	2.651%
56	7.684	1969	1973	1980	rBV4	964	1269	0.13%	0.017%
57	7.787	2003	2005	2007	rBV2	158	93	0.01%	0.001%
58	7.845	2020	2023	2026	rBV2	235	160	0.02%	0.002%
59	7.899	2026	2040	2056	rBV	405003	695333	72.44%	9.058%
60	8.179	2115	2127	2144	rBV	83730	137972	14.37%	1.797%
61	8.369	2184	2186	2187	rBV	386	182	0.02%	0.002%
62	8.443	2206	2209	2210	rBV	109	54	0.01%	0.001%
63	8.491	2221	2224	2227	rBV3	449	256	0.03%	0.003%
64	8.632	2256	2268	2297	rBV2	325933	622785	64.88%	8.113%
65	8.832	2328	2330	2331	rBV	301	145	0.02%	0.002%
66	8.893	2347	2349	2350	rBV	254	130	0.01%	0.002%
67	8.960	2369	2370	2372	rBV	270	68	0.01%	0.001%
68	9.115	2413	2418	2420	rBV2	213	242	0.03%	0.003%
69	9.163	2430	2433	2436	rBV2	413	240	0.03%	0.003%
70	9.195	2441	2443	2445	rBV	188	134	0.01%	0.002%
71	9.314	2477	2480	2482	rBV2	286	204	0.02%	0.003%
72	9.417	2498	2512	2537	rBV	484947	797987	83.14%	10.395%
73	9.639	2575	2581	2584	rBV2	416	398	0.04%	0.005%
74	9.668	2587	2590	2593	rBV2	296	232	0.02%	0.003%
75	9.726	2604	2608	2610	rBV2	182	141	0.01%	0.002%
76	9.790	2627	2628	2631	rVB	427	120	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049016.D
 Acq On : 10 Jun 2022 22:56
 Operator : SY/MD
 Sample : N3254-17
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 CODH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

77	9.870	2652	2653	2654	rBV	173	55	0.01%	0.001%
78	10.031	2701	2703	2707	rBV2	212	171	0.02%	0.002%
79	10.079	2714	2718	2720	rBV	270	207	0.02%	0.003%
80	10.263	2772	2775	2778	rBV2	212	152	0.02%	0.002%
81	10.394	2813	2816	2818	rBV	295	206	0.02%	0.003%
82	10.494	2844	2847	2850	rBV2	429	341	0.04%	0.004%
83	10.571	2869	2871	2876	rBV	298	211	0.02%	0.003%
84	10.642	2890	2893	2896	rVB	316	157	0.02%	0.002%
85	10.668	2896	2901	2905	rBV2	673	695	0.07%	0.009%
86	10.758	2916	2929	2945	rBV	361610	584274	60.87%	7.611%
87	10.854	2957	2959	2963	rBV2	229	129	0.01%	0.002%
88	11.044	3015	3018	3020	rBV	336	226	0.02%	0.003%
89	11.108	3035	3038	3039	rBV	319	175	0.02%	0.002%
90	11.237	3074	3078	3081	rBV	329	283	0.03%	0.004%
91	11.256	3082	3084	3086	rVV2	191	66	0.01%	0.001%
92	11.668	3209	3212	3214	rBV2	286	192	0.02%	0.003%
93	11.812	3245	3257	3277	rBV	416827	673234	70.14%	8.770%
94	11.947	3297	3299	3302	rBV3	539	261	0.03%	0.003%
95	12.192	3363	3375	3401	rBV	388711	646517	67.36%	8.422%
96	12.401	3438	3440	3444	rBV2	248	137	0.01%	0.002%




Sum of corrected areas: 7676529

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049016.D
Acq On : 10 Jun 2022 22:56
Operator : SY/MD
Sample : N3254-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DH4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049016.D
Acq On : 10 Jun 2022 22:56
Operator : SY/MD
Sample : N3254-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DH4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049016.D
Acq On : 10 Jun 2022 22:56
Operator : SY/MD
Sample : N3254-17
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DH4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------