

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049029.D
 Acq On : 11 Jun 2022 04:25
 Operator : SY/MD
 Sample : N3249-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYT5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

Signal : TIC: VU049029.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	96	rBV	107037	121009	9.46%	1.375%
2	1.900	165	174	192	rBV	69516	99731	7.80%	1.133%
3	2.070	224	227	229	rBV3	972	700	0.05%	0.008%
4	2.382	321	324	326	rBV3	823	567	0.04%	0.006%
5	2.562	367	380	395	rBV	165556	271628	21.24%	3.087%
6	2.974	505	508	513	rVB	383	295	0.02%	0.003%
7	3.041	525	529	535	rVB3	807	764	0.06%	0.009%
8	3.080	535	541	545	rBV2	426	461	0.04%	0.005%
9	3.179	564	572	573	rBV2	1809	2100	0.16%	0.024%
10	3.359	619	628	640	rVB8	2694	5356	0.42%	0.061%
11	3.867	769	786	809	rVV	77910	182867	14.30%	2.078%
12	3.951	809	812	817	rVV3	425	313	0.02%	0.004%
13	4.620	1007	1020	1062	rBV	107863	302317	23.64%	3.436%
14	5.064	1139	1158	1186	rBV	170708	377777	29.53%	4.294%
15	5.199	1197	1200	1204	rBB	519	298	0.02%	0.003%
16	5.314	1218	1236	1260	rBV	570392	1279104	100.00%	14.537%
17	5.462	1279	1282	1285	rVV	503	303	0.02%	0.003%
18	5.629	1329	1334	1340	rVB2	314	473	0.04%	0.005%
19	5.723	1340	1363	1394	rBV2	323893	887440	69.38%	10.086%
20	5.909	1418	1421	1430	rVB2	644	659	0.05%	0.007%
21	5.964	1430	1438	1440	rBV2	370	433	0.03%	0.005%
22	6.118	1484	1486	1490	rVB3	454	306	0.02%	0.003%
23	6.247	1510	1526	1547	rBV	268354	512184	40.04%	5.821%
24	6.543	1604	1618	1636	rVB4	39639	75838	5.93%	0.862%
25	6.636	1640	1647	1650	rBV2	285	394	0.03%	0.004%
26	6.691	1650	1664	1681	rBV2	214845	416218	32.54%	4.730%
27	6.813	1697	1702	1707	rVB4	726	815	0.06%	0.009%
28	7.160	1807	1810	1812	rBV	706	518	0.04%	0.006%
29	7.176	1812	1815	1819	rVB4	658	487	0.04%	0.006%
30	7.565	1921	1936	1955	rBV	92902	161546	12.63%	1.836%
31	7.690	1969	1975	1979	rBV3	652	858	0.07%	0.010%
32	7.806	2008	2011	2018	rVB3	402	459	0.04%	0.005%
33	7.896	2021	2039	2058	rBV	379565	654170	51.14%	7.435%
34	8.179	2113	2127	2140	rBV	66055	112595	8.80%	1.280%
35	8.243	2144	2147	2153	rVV5	1226	1208	0.09%	0.014%
36	8.269	2153	2155	2164	rVB4	549	494	0.04%	0.006%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049029.D
 Acq On : 11 Jun 2022 04:25
 Operator : SY/MD
 Sample : N3249-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYT5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

37	8.372	2184	2187	2193	rVB2	490	419	0.03%	0.005%
38	8.469	2210	2217	2222	rBV4	1826	2583	0.20%	0.029%
39	8.552	2234	2243	2254	rVB4	13311	21697	1.70%	0.247%
40	8.633	2256	2268	2305	rBV2	298605	592259	46.30%	6.731%
41	8.864	2335	2340	2347	rVB5	1652	2087	0.16%	0.024%
42	8.922	2352	2358	2359	rBV2	737	642	0.05%	0.007%
43	9.311	2471	2479	2482	rBV	455	678	0.05%	0.008%
44	9.417	2496	2512	2535	rBV	379374	630367	49.28%	7.164%
45	9.568	2553	2559	2569	rVB5	1533	2313	0.18%	0.026%
46	9.690	2589	2597	2598	rBV3	1288	1197	0.09%	0.014%
47	9.999	2689	2693	2698	rVB2	270	308	0.02%	0.004%
48	10.105	2719	2726	2731	rBV5	789	1160	0.09%	0.013%
49	10.276	2769	2779	2786	rVB5	5084	7181	0.56%	0.082%
50	10.356	2799	2804	2806	rBV4	983	820	0.06%	0.009%
51	10.485	2835	2844	2852	rVB2	1261	2027	0.16%	0.023%
52	10.697	2903	2910	2916	rBV6	1951	2378	0.19%	0.027%
53	10.755	2916	2928	2944	rBV	335029	552184	43.17%	6.276%
54	10.906	2963	2975	2985	rBV3	8428	14895	1.16%	0.169%
55	10.996	2997	3003	3019	rVB5	2938	5460	0.43%	0.062%
56	11.089	3022	3032	3044	rVB2	13936	20520	1.60%	0.233%
57	11.153	3048	3052	3056	rBV2	337	307	0.02%	0.003%
58	11.292	3085	3095	3106	rVB2	11381	18245	1.43%	0.207%
59	11.404	3127	3130	3132	rBV3	461	355	0.03%	0.004%
60	11.468	3140	3150	3164	rVB	25481	39034	3.05%	0.444%
61	11.536	3164	3171	3175	rBV2	589	667	0.05%	0.008%
62	11.610	3187	3194	3199	rBV5	1987	2994	0.23%	0.034%
63	11.642	3199	3204	3213	rVB5	4180	6184	0.48%	0.070%
64	11.742	3227	3235	3243	rBV3	4243	6168	0.48%	0.070%
65	11.812	3243	3257	3275	rVV	363766	588560	46.01%	6.689%
66	11.896	3275	3283	3294	rVB	12030	18275	1.43%	0.208%
67	11.938	3294	3296	3300	rVB2	505	317	0.02%	0.004%
68	12.005	3309	3317	3322	rBV3	1231	1610	0.13%	0.018%
69	12.099	3337	3346	3350	rBV5	7547	11449	0.90%	0.130%
70	12.124	3351	3354	3363	rVV3	8536	11021	0.86%	0.125%
71	12.192	3363	3375	3398	rVB	405422	669665	52.35%	7.611%
72	12.298	3404	3408	3417	rVB7	1751	1998	0.16%	0.023%
73	12.378	3424	3433	3442	rBV3	6087	8352	0.65%	0.095%
74	12.468	3453	3461	3465	rBV4	5030	7550	0.59%	0.086%
75	12.571	3484	3493	3500	rBV3	6305	9661	0.76%	0.110%
76	12.687	3519	3529	3532	rBV6	3705	5326	0.42%	0.061%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049029.D
 Acq On : 11 Jun 2022 04:25
 Operator : SY/MD
 Sample : N3249-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYT5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

77	12.771	3550	3555	3563	rBV3	1015	1431	0.11%	0.016%
78	12.867	3580	3585	3587	rBV3	1715	1573	0.12%	0.018%
79	12.947	3603	3610	3612	rBV2	1007	1045	0.08%	0.012%
80	12.976	3612	3619	3625	rVV4	3105	4644	0.36%	0.053%
81	13.025	3626	3634	3644	rVB3	6645	10097	0.79%	0.115%
82	13.111	3655	3661	3666	rBV6	1260	1573	0.12%	0.018%
83	13.253	3700	3705	3707	rBV2	641	600	0.05%	0.007%
84	13.288	3712	3716	3718	rBV3	905	646	0.05%	0.007%
85	13.407	3748	3753	3757	rBV3	735	612	0.05%	0.007%
86	13.452	3757	3767	3774	rBV5	7889	12414	0.97%	0.141%
87	13.565	3796	3802	3804	rBV4	798	1001	0.08%	0.011%
88	13.578	3804	3806	3813	rVV3	702	583	0.05%	0.007%
89	13.623	3813	3820	3829	rVV7	2682	3998	0.31%	0.045%
90	13.793	3868	3873	3877	rBB4	454	431	0.03%	0.005%
91	13.841	3879	3888	3889	rBV5	1506	1872	0.15%	0.021%
92	13.947	3917	3921	3925	rVB4	788	637	0.05%	0.007%
93	14.070	3949	3959	3960	rBV2	934	1061	0.08%	0.012%
94	14.095	3960	3967	3982	rVB3	5174	9199	0.72%	0.105%
95	14.189	3992	3996	4003	rBV2	449	726	0.06%	0.008%
96	14.330	4038	4040	4041	rBV2	611	329	0.03%	0.004%
97	15.021	4252	4255	4259	rBV3	480	388	0.03%	0.004%
98	15.388	4367	4369	4373	rBV2	442	358	0.03%	0.004%
99	16.082	4582	4585	4587	rBV3	625	382	0.03%	0.004%
100	16.475	4702	4707	4711	rBV5	1227	1466	0.11%	0.017%




Sum of corrected areas: 8798664

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049029.D
Acq On : 11 Jun 2022 04:25
Operator : SY/MD
Sample : N3249-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYT5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049029.D
Acq On : 11 Jun 2022 04:25
Operator : SY/MD
Sample : N3249-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYT5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049029.D
Acq On : 11 Jun 2022 04:25
Operator : SY/MD
Sample : N3249-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYT5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc