

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049033.D
 Acq On : 11 Jun 2022 05:59
 Operator : SY/MD
 Sample : N3249-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYX3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M

Title : VOC Analysis

Signal : TIC: VU049033.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	94	rBV	100564	112743	12.57%	1.418%
2	1.900	166	174	194	rVB	73032	103262	11.51%	1.299%
3	2.562	368	380	395	rBV2	164402	275042	30.67%	3.460%
4	2.736	428	434	435	rBV	492	418	0.05%	0.005%
5	2.758	438	441	446	rVV2	458	383	0.04%	0.005%
6	2.790	446	451	455	rBV2	525	550	0.06%	0.007%
7	2.826	460	462	465	rBV	447	278	0.03%	0.003%
8	2.948	496	500	502	rBV2	370	315	0.04%	0.004%
9	3.015	519	521	523	rBV2	300	122	0.01%	0.002%
10	3.038	524	528	529	rBV3	597	414	0.05%	0.005%
11	3.067	534	537	541	rVB2	392	279	0.03%	0.004%
12	3.086	541	543	544	rBV	118	63	0.01%	0.001%
13	3.186	564	574	584	rBV3	1770	3539	0.39%	0.045%
14	3.353	615	626	643	rVB4	6966	14484	1.61%	0.182%
15	3.417	643	646	648	rBV2	246	193	0.02%	0.002%
16	3.536	681	683	685	rVB	303	91	0.01%	0.001%
17	3.584	696	698	700	rVB	244	105	0.01%	0.001%
18	3.600	700	703	705	rBV2	223	139	0.02%	0.002%
19	3.867	769	786	809	rBV2	160519	379104	42.27%	4.769%
20	4.102	856	859	861	rBV	137	66	0.01%	0.001%
21	4.433	960	962	966	rBV2	167	147	0.02%	0.002%
22	4.491	977	980	983	rBV	223	158	0.02%	0.002%
23	4.530	988	992	993	rBV	224	177	0.02%	0.002%
24	4.620	1007	1020	1027	rBV	109355	247536	27.60%	3.114%
25	4.973	1128	1130	1133	rBV	238	128	0.01%	0.002%
26	5.060	1141	1157	1180	rBV	175004	382819	42.68%	4.816%
27	5.234	1209	1211	1212	rBV	148	61	0.01%	0.001%
28	5.317	1218	1237	1256	rBV	294141	665069	74.15%	8.367%
29	5.407	1263	1265	1269	rBV2	346	210	0.02%	0.003%
30	5.552	1306	1310	1312	rBV2	314	215	0.02%	0.003%
31	5.723	1342	1363	1384	rBV2	327133	896908	100.00%	11.283%
32	5.961	1432	1437	1441	rBV3	413	452	0.05%	0.006%
33	6.247	1512	1526	1549	rBV	277693	523625	58.38%	6.587%
34	6.472	1592	1596	1599	rBV3	244	202	0.02%	0.003%
35	6.539	1607	1617	1632	rVB6	11763	24768	2.76%	0.312%
36	6.690	1644	1664	1684	rBV	223541	433982	48.39%	5.459%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
 Data File : VU049033.D
 Acq On : 11 Jun 2022 05:59
 Operator : SY/MD
 Sample : N3249-15
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYX3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Title : VOC Analysis

37	6.890	1723	1726	1729	rBV	272	211	0.02%	0.003%
38	6.967	1742	1750	1751	rBV3	2168	2340	0.26%	0.029%
39	7.086	1783	1787	1790	rBV2	566	528	0.06%	0.007%
40	7.141	1802	1804	1805	rBV	207	69	0.01%	0.001%
41	7.243	1834	1836	1838	rBV	211	113	0.01%	0.001%
42	7.305	1853	1855	1860	rVB2	415	248	0.03%	0.003%
43	7.404	1882	1886	1890	rBV2	341	335	0.04%	0.004%
44	7.452	1897	1901	1902	rBV2	166	112	0.01%	0.001%
45	7.565	1924	1936	1952	rBV	92243	158251	17.64%	1.991%
46	7.684	1970	1973	1978	rBV2	489	479	0.05%	0.006%
47	7.723	1982	1985	1988	rVB2	319	160	0.02%	0.002%
48	7.800	2002	2009	2013	rBV2	747	883	0.10%	0.011%
49	7.896	2026	2039	2058	rBV	373366	643061	71.70%	8.090%
50	8.179	2115	2127	2141	rBV2	65890	110965	12.37%	1.396%
51	8.552	2233	2243	2256	rVB2	35915	59848	6.67%	0.753%
52	8.632	2256	2268	2298	rBV2	293184	589905	65.77%	7.421%
53	9.259	2459	2463	2467	rBV2	269	276	0.03%	0.003%
54	9.417	2497	2512	2533	rBV	378808	634618	70.76%	7.983%
55	9.607	2569	2571	2574	rBV2	214	153	0.02%	0.002%
56	9.700	2597	2600	2602	rVB3	313	147	0.02%	0.002%
57	9.877	2653	2655	2656	rBV3	269	115	0.01%	0.001%
58	9.912	2663	2666	2667	rBV	165	111	0.01%	0.001%
59	10.414	2819	2822	2824	rBV	227	168	0.02%	0.002%
60	10.510	2848	2852	2858	rBV2	319	358	0.04%	0.005%
61	10.703	2909	2912	2914	rBV2	269	187	0.02%	0.002%
62	10.758	2916	2929	2949	rVB	338136	544934	60.76%	6.855%
63	11.812	3244	3257	3273	rBV	341175	533568	59.49%	6.712%
64	12.195	3363	3376	3400	rBV	358560	598265	66.70%	7.526%
65	12.346	3420	3423	3426	rBV	412	302	0.03%	0.004%
66	12.719	3534	3539	3542	rBV2	316	418	0.05%	0.005%




Sum of corrected areas: 7949175

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049033.D
Acq On : 11 Jun 2022 05:59
Operator : SY/MD
Sample : N3249-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYX3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049033.D
Acq On : 11 Jun 2022 05:59
Operator : SY/MD
Sample : N3249-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYX3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061022\
Data File : VU049033.D
Acq On : 11 Jun 2022 05:59
Operator : SY/MD
Sample : N3249-15
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 47 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYX3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------