

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
 Data File : VU032615.D
 Acq On : 11 Jun 2019 17:21
 Operator : JC/SP
 Sample : K3292-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8Q1

Quant Time: Jun 12 07:46:13 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 12 07:28:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	172706	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	164749	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	81673	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	45750	40.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.66%
7) Chloroethane-d5	1.68	69	39961	44.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.76%
11) 1,1-Dichloroethene-d2	2.27	63	68720	31.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.64%
21) 2-Butanone-d5	4.17	46	96895	103.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.33%
24) Chloroform-d	4.64	84	100793	48.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.46%
26) 1,2-Dichloroethane-d4	5.30	65	66907	50.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.64%
32) Benzene-d6	5.33	84	198289	46.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.72%
36) 1,2-Dichloropropane-d6	6.32	67	64577	48.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.30%
41) Toluene-d8	7.56	98	179069	44.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.32%
43) trans-1,3-Dichloropropene-	7.85	79	27168	42.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.66%
47) 2-Hexanone-d5	8.31	63	55775	85.74	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.74%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	99380	51.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.28%
64) 1,2-Dichlorobenzene-d4	11.85	152	78141	49.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.90%

Target Compounds				Ovalue
13) Acetone	2.32	43	2770	2.863 ug/L 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061119\
Data File : VU032615.D
Acq On : 11 Jun 2019 17:21
Operator : JC/SP
Sample : K3292-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8Q1

Quant Time: Jun 12 07:46:13 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 12 07:28:55 2019
Response via : Initial Calibration

