

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
 Data File : VU032618.D
 Acq On : 11 Jun 2019 18:29
 Operator : JC/SP
 Sample : K3292-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8P5

Quant Time: Jun 12 07:55:12 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 12 07:28:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	169586	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	161615	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	81832	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	43864	39.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.74%
7) Chloroethane-d5	1.68	69	39278	44.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.84%
11) 1,1-Dichloroethene-d2	2.27	63	69610	32.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.62%
21) 2-Butanone-d5	4.17	46	93662	101.72	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.72%
24) Chloroform-d	4.64	84	97778	47.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.30%
26) 1,2-Dichloroethane-d4	5.30	65	66905	51.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.52%
32) Benzene-d6	5.33	84	194719	46.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.82%
36) 1,2-Dichloropropane-d6	6.32	67	64418	48.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.92%
41) Toluene-d8	7.56	98	179356	45.08	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.16%
43) trans-1,3-Dichloropropene-	7.85	79	28173	44.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.50%
47) 2-Hexanone-d5	8.31	63	54835	85.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.93%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	96605	50.68	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.36%
64) 1,2-Dichlorobenzene-d4	11.86	152	77490	49.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.88%

Target Compounds					Ovalue
13) Acetone	2.32	43	4791	5.043 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
Data File : VU032618.D
Acq On : 11 Jun 2019 18:29
Operator : JC/SP
Sample : K3292-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8P5

Quant Time: Jun 12 07:55:12 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 12 07:28:55 2019
Response via : Initial Calibration

