

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
 Data File : VU032607.D
 Acq On : 11 Jun 2019 14:08
 Operator : JC/SP
 Sample : K3292-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8P4

Quant Time: Jun 12 07:20:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 12 05:31:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	172358	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	163375	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	84479	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	47273	42.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.54%
7) Chloroethane-d5	1.68	69	39909	44.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.82%
11) 1,1-Dichloroethene-d2	2.27	63	72914	33.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.60%
21) 2-Butanone-d5	4.17	46	94005	100.45	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.45%
24) Chloroform-d	4.64	84	99446	47.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.36%
26) 1,2-Dichloroethane-d4	5.31	65	66865	50.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.78%
32) Benzene-d6	5.33	84	197672	46.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.22%
36) 1,2-Dichloropropane-d6	6.32	67	65306	49.10	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.20%
41) Toluene-d8	7.56	98	176906	43.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.98%
43) trans-1,3-Dichloropropene-	7.85	79	30203	47.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.90%
47) 2-Hexanone-d5	8.31	63	54604	84.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.64%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	92943	48.23	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.46%
64) 1,2-Dichlorobenzene-d4	11.85	152	78548	48.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.08%


Target Compounds					Ovalue
13) Acetone	2.31	43	5381	5.573 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061119\
Data File : VU032607.D
Acq On : 11 Jun 2019 14:08
Operator : JC/SP
Sample : K3292-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8P4

Quant Time: Jun 12 07:20:56 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 12 05:31:42 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.573 ug/L

RT: 2.31 min Scan# 381

Delta R.T. -0.00 min

Lab File: VU032607.D

Acq: 11 Jun 2019 14:08

Instrument :

MSVOA_U

ClientSampleId :

DB8P4

Tot Ion: 43 Resp: 5381

Ion Ratio Lower Upper

43 100

58 27.5 0.0 64.0

