

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
 Data File : VU032617.D
 Acq On : 11 Jun 2019 18:07
 Operator : JC/SP
 Sample : K3292-12
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8Q3

Quant Time: Jun 12 07:50:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 12 07:28:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	170525	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	162204	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	83217	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	45328	40.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.94%
7) Chloroethane-d5	1.68	69	40227	45.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.50%
11) 1,1-Dichloroethene-d2	2.27	63	70641	32.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.22%
21) 2-Butanone-d5	4.17	46	96015	103.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.70%
24) Chloroform-d	4.64	84	100960	48.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.86%
26) 1,2-Dichloroethane-d4	5.30	65	67159	51.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.34%
32) Benzene-d6	5.33	84	199425	47.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.72%
36) 1,2-Dichloropropane-d6	6.32	67	64471	48.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.66%
41) Toluene-d8	7.56	98	180764	45.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.54%
43) trans-1,3-Dichloropropene-	7.85	79	28903	45.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.48%
47) 2-Hexanone-d5	8.31	63	58804	91.81	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.81%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	98395	51.43	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.86%
64) 1,2-Dichlorobenzene-d4	11.86	152	79863	50.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.20%


Target Compounds					Ovalue
13) Acetone	2.32	43	2359	2.469 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
Data File : VU032617.D
Acq On : 11 Jun 2019 18:07
Operator : JC/SP
Sample : K3292-12
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8Q3

Quant Time: Jun 12 07:50:05 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 12 07:28:55 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 2.469 ug/L
 RT: 2.32 min Scan# 381
 Delta R.T. 0.00 min
 Lab File: VU032617.D
 Acq: 11 Jun 2019 18:07

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8Q3

Tot Ion: 43 Resp: 2359
 Ion Ratio Lower Upper
 43 100
 58 26.4 0.0 64.0

