

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
 Data File : VU032625.D
 Acq On : 11 Jun 2019 21:10
 Operator : JC/SP
 Sample : K3293-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB8Q7

Quant Time: Jun 12 08:18:01 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jun 12 07:28:55 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	168273	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	159704	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	78474	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	43260	39.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.24%
7) Chloroethane-d5	1.68	69	37965	43.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.54%
11) 1,1-Dichloroethene-d2	2.27	63	68652	32.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.24%
21) 2-Butanone-d5	4.17	46	95947	105.02	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.02%
24) Chloroform-d	4.64	84	98359	48.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.62%
26) 1,2-Dichloroethane-d4	5.30	65	66332	51.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.42%
32) Benzene-d6	5.33	84	193460	46.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.32%
36) 1,2-Dichloropropane-d6	6.32	67	63042	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.98%
41) Toluene-d8	7.56	98	175798	44.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.44%
43) trans-1,3-Dichloropropene-	7.85	79	28480	45.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.56%
47) 2-Hexanone-d5	8.31	63	55305	87.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.70%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	95573	50.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.48%
64) 1,2-Dichlorobenzene-d4	11.85	152	75707	50.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.74%


Target Compounds				Ovalue
13) Acetone	2.32	43	5050	5.357 ug/L 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061119\
Data File : VU032625.D
Acq On : 11 Jun 2019 21:10
Operator : JC/SP
Sample : K3293-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB8Q7

Quant Time: Jun 12 08:18:01 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jun 12 07:28:55 2019
Response via : Initial Calibration





#13

Acetone

Concen: 5.357 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU032625.D

Acq: 11 Jun 2019 21:10

Instrument :
MSVOA_U
ClientSampleId :
DB8Q7

Tot Ion: 43 Resp: 5050

Ion Ratio Lower Upper

43 100

58 27.5 0.0 64.0

