

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061120\
 Data File : VU038796.D
 Acq On : 10 Jun 2020 23:20
 Operator : SY/MD
 Sample : L2915-05 100X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9E09

Quant Time: Jun 11 05:23:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 11 03:42:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	555097	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.43	117	531969	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.82	152	251058	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	178585	57.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	115.16%
7) Chloroethane-d5	1.93	69	146926	61.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	122.14%
11) 1,1-Dichloroethene-d2	2.59	63	278493	41.20	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.40%
21) 2-Butanone-d5	4.66	46	375982	124.61	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	124.61%
24) Chloroform-d	5.10	84	366688	54.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.68%
26) 1,2-Dichloroethane-d4	5.74	65	257580	58.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	116.24%
32) Benzene-d6	5.76	84	734919	57.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	114.70%
36) 1,2-Dichloropropane-d6	6.72	67	229243	58.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	116.10%
41) Toluene-d8	7.92	98	621492	53.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.34%
43) trans-1,3-Dichloropropene-	8.20	79	108866	54.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	109.50%
47) 2-Hexanone-d5	8.65	63	264448	125.80	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	125.80%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	333225	56.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	113.14%
64) 1,2-Dichlorobenzene-d4	12.20	152	257849	59.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	118.30%

Target Compounds

					Ovalue
29) Cyclohexane	5.42	56	17000	2.793 ug/L	96
33) Benzene	5.81	78	8760728	554.578 ug/L	100
42) Toluene	7.99	91	234791	14.215 ug/L	100
52) Ethylbenzene	9.59	91	504259	27.662 ug/L	99
53) m,p-Xylene	9.71	106	44761	6.397 ug/L	98
54) o-xylene	10.11	106	45107	6.640 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061120\
Data File : VU038796.D
Acq On : 10 Jun 2020 23:20
Operator : SY/MD
Sample : L2915-05 100X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9E09

Quant Time: Jun 11 05:23:47 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060820WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 11 03:42:48 2020
Response via : Initial Calibration

