

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061122\
 Data File : VU049068.D
 Acq On : 11 Jun 2022 21:30
 Operator : SY/MD
 Sample : N3278-05 200X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BD2

Quant Time: Jun 13 01:50:53 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061122WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 13 01:35:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	137418	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	144659	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	63163	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	29316	4.823	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	96.400%	
7) Chloroethane-d5	1.916	69	34377	5.187	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	103.800%	
11) 1,1-Dichloroethene-d2	2.568	65	14715	4.638	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	92.800%	
20) 2-Butanone-d5	4.639	46	161496	53.368	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	106.740%	
24) Chloroform-d	5.064	84	99875	5.084	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	101.600%	
26) 1,2-Dichloroethane-d4	5.703	65	59272	5.452	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.000%	
32) Benzene-d6	5.729	84	176114	4.534	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.600%	
36) 1,2-Dichloropropane-d6	6.690	67	61852	4.673	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.400%	
41) Toluene-d8	7.899	98	137500	4.212	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.200%	
43) trans-1,3-Dichloroprop...	8.182	79	19831	4.459	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	89.200%	
46) 2-Hexanone-d5	8.636	63	128602	52.790	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	105.580%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	61368	5.272	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	105.400%	
66) 1,2-Dichlorobenzene-d4	12.195	152	60663	5.221	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	104.400%	
Target Compounds						
						Qvalue
9) Trichlorofluoromethane	2.141	101	1802	0.109	ug/L	97
47) Tetrachloroethene	8.552	164	9222	1.036	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061122\
Data File : VU049068.D
Acq On : 11 Jun 2022 21:30
Operator : SY/MD
Sample : N3278-05 200X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BD2

Quant Time: Jun 13 01:50:53 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061122WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 13 01:35:15 2022
Response via : Initial Calibration

