

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU061219\
Quantitation Report (QT Reviewed)


Data File : VU032665.D
Acq On : 12 Jun 2019 20:20
Operator : JC/SP
Sample : K3313-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COLY7

Manual Integrations
APPROVED

MMDadoda
6/13/2019 8:56:15 AM

Quant Time: Jun 13 06:54:33 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU061219\
Quantitation Report (Qedit)




Data File : VU032665.D
Acq On : 12 Jun 2019 20:20
Operator : JC/SP
Sample : K3313-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0LY7

Manual Integrations
APPROVED

MMDadoda
6/13/2019 8:56:15 AM

Quant Time: Jun 13 06:02:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration



TIC: VU032665.D

(20) cis-1,2-Dichloroethene (T)

4.219min (+0.000) 1.80ug/L

response 2243

Ion	Exp%	Act%
96.00	100	100
61.00	124.60	128.64
68.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU061219\
Quantitation Report (Qedit)




Data File : VU032665.D
Acq On : 12 Jun 2019 20:20
Operator : JC/SP
Sample : K3313-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0LY7

Manual Integrations
APPROVED

MMDadoda
6/13/2019 8:56:15 AM

Quant Time: Jun 13 06:02:19 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration



TIC: VU032665.D

(20) cis-1,2-Dichloroethene (T)

4.219min (+0.000) 3.65ug/L m

response 4561

Ion	Exp%	Act%
96.00	100	100
61.00	124.60	128.64
68.00	0.00	0.00
0.00	0.00	0.00

Handwritten signature: >MB
6/12/19

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU061219\

Quantitation Report (QT Reviewed)

Data File : VU032665.D

Acq On : 12 Jun 2019 20:20

Operator : JC/SP

Sample : K3313-07

Misc : 5.0mL/MSVOA_U/WATER

ALS Vial : 30 Sample Multiplier: 1

Instrument :

MSVOA_U

ClientSampleId :

COLY7

Manual Integrations
APPROVEDMMDadoda
6/13/2019 8:56:15 AM

Quant Time: Jun 13 06:54:33 2019

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M

Quant Title : VOC Analysis

QLast Update : Thu Jun 13 05:57:37 2019

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	171522	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	164503	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	79939	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	50320	45.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.44%
7) Chloroethane-d5	1.68	69	41116	45.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.96%
11) 1,1-Dichloroethene-d2	2.27	63	78642	36.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.18%
21) 2-Butanone-d5	4.17	46	90540	97.22	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.22%
24) Chloroform-d	4.64	84	97135	46.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.60%
26) 1,2-Dichloroethane-d4	5.30	65	65763	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.60%
32) Benzene-d6	5.33	84	195381	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.50%
36) 1,2-Dichloropropane-d6	6.32	67	63883	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.42%
41) Toluene-d8	7.56	98	178247	44.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.04%
43) trans-1,3-Dichloropropene-	7.85	79	26699	41.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.32%
47) 2-Hexanone-d5	8.31	63	55019	84.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.70%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	86895	44.78	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.56%
64) 1,2-Dichlorobenzene-d4	11.86	152	71970	47.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.00%

Target Compounds

				Qvalue	
12) 1,1-Dichloroethene	2.28	96	5073	4.984 ug/L	# 1
13) Acetone	2.32	43	1535	1.597 ug/L	91
20) cis-1,2-Dichloroethene	4.22	96	4561m	3.654 ug/L	

7 MQ
6/12/19

(#)=qualifier out of range (m)=manual integration (+)=signals summed