

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061219\
 Data File : VU032658.D
 Acq On : 12 Jun 2019 17:40
 Operator : JC/SP
 Sample : K3314-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COM21

Quant Time: Jun 13 06:40:20 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 13 05:57:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	154065	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	144944	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	74538	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	49862	49.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	99.76%
7) Chloroethane-d5	1.68	69	40140	49.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.94%
11) 1,1-Dichloroethene-d2	2.27	63	74109	37.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	75.74%
21) 2-Butanone-d5	4.17	46	86544	103.46	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.46%
24) Chloroform-d	4.64	84	93320	50.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.12%
26) 1,2-Dichloroethane-d4	5.31	65	62934	53.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	107.18%
32) Benzene-d6	5.33	84	186915	49.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.34%
36) 1,2-Dichloropropane-d6	6.32	67	60374	51.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.34%
41) Toluene-d8	7.56	98	170326	47.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.48%
43) trans-1,3-Dichloropropene-	7.85	79	27124	48.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.08%
47) 2-Hexanone-d5	8.31	63	52056	90.96	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.96%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	81241	47.52	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.04%
64) 1,2-Dichlorobenzene-d4	11.86	152	71477	50.07	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.14%


Target Compounds					Ovalue
13) Acetone	2.32	43	3369	3.903 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061219\
Data File : VU032658.D
Acq On : 12 Jun 2019 17:40
Operator : JC/SP
Sample : K3314-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COM21

Quant Time: Jun 13 06:40:20 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.903 ug/L

RT: 2.32 min Scan# 381

Delta R.T. 0.00 min

Lab File: VU032658.D

Acq: 12 Jun 2019 17:40

Instrument :
MSVOA_U
ClientSampleId :
COM21

Tot Ion: 43 Resp: 3369

Ion Ratio Lower Upper

43 100

58 23.7 0.0 64.0

