

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061219\
 Data File : VU032665.D
 Acq On : 12 Jun 2019 20:20
 Operator : JC/SP
 Sample : K3313-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COLY7

Manual Integrations
 APPROVED

MMDadoda
 6/13/2019 8:56:15 AM

Quant Time: Jun 13 09:00:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 13 05:57:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	171522	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	164503	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	79939	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	50320	45.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.44%
7) Chloroethane-d5	1.68	69	41116	45.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.96%
11) 1,1-Dichloroethene-d2	2.27	63	78642	36.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.18%
21) 2-Butanone-d5	4.17	46	90540	97.22	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.22%
24) Chloroform-d	4.64	84	97135	46.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.60%
26) 1,2-Dichloroethane-d4	5.30	65	65763	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.60%
32) Benzene-d6	5.33	84	195381	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.50%
36) 1,2-Dichloropropane-d6	6.32	67	63883	47.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.42%
41) Toluene-d8	7.56	98	178247	44.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.04%
43) trans-1,3-Dichloropropene-	7.85	79	26699	41.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.32%
47) 2-Hexanone-d5	8.31	63	55019	84.70	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.70%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	86895	44.78	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.56%
64) 1,2-Dichlorobenzene-d4	11.86	152	71970	47.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.00%

Target Compounds					Ovalue
13) Acetone	2.32	43	1535	1.597 ug/L	91
20) cis-1,2-Dichloroethene	4.22	96	4561m	3.654 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061219\
Data File : VU032665.D
Acq On : 12 Jun 2019 20:20
Operator : JC/SP
Sample : K3313-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 30 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0LY7

Manual Integrations
APPROVED

MMDadoda
6/13/2019 8:56:15 AM

Quant Time: Jun 13 09:00:59 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.597 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU032665.D

Acq: 12 Jun 2019 20:20

Instrument :

MSVOA_U

ClientSampled :

C0LY7

Tot Ion: 43 Resp: 1535

Ion Ratio Lower Upper

43 100


58 27.0 0.0 64.0

Manual Integrations




APPROVED

MMDadoda

6/13/2019 8:56:15 AM



Abundance Ion 43.00 (42.70 to 43.70): VU032665.D (-288) (-)



#20

cis-1,2-Dichloroethene

Concen: 3.654 ug/L m

RT: 4.22 min Scan# 973

Delta R.T. 0.00 min

Lab File: VU032665.D

Acq: 12 Jun 2019 20:20


Tgt Ion: 96 Resp: 4561

Ion Ratio Lower Upper

96 100

61 128.6 87.2 162.0

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VU032665.D (-880) (-)

