

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061219\
 Data File : VU032675.D
 Acq On : 13 Jun 2019 00:08
 Operator : JC/SP
 Sample : K3313-18
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COM09

Quant Time: Jun 13 07:17:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jun 13 05:57:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	173805	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	166075	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	79868	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	51241	45.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.88%
7) Chloroethane-d5	1.68	69	41054	45.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.62%
11) 1,1-Dichloroethene-d2	2.27	63	76689	34.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.46%
21) 2-Butanone-d5	4.17	46	84236	89.26	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.26%
24) Chloroform-d	4.64	84	95667	45.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.98%
26) 1,2-Dichloroethane-d4	5.31	65	65331	49.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.62%
32) Benzene-d6	5.33	84	196176	45.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.00%
36) 1,2-Dichloropropane-d6	6.32	67	62760	46.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.84%
41) Toluene-d8	7.56	98	176893	43.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.54%
43) trans-1,3-Dichloropropene-	7.85	79	26464	40.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.80%
47) 2-Hexanone-d5	8.31	63	42736	65.17	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	65.17%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	83776	42.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	85.54%
64) 1,2-Dichlorobenzene-d4	11.85	152	71410	46.68	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.36%


Target Compounds					Ovalue
13) Acetone	2.32	43	1813	1.862 ug/L	86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061219\
Data File : VU032675.D
Acq On : 13 Jun 2019 00:08
Operator : JC/SP
Sample : K3313-18
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 40 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COM09

Quant Time: Jun 13 07:17:02 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM060619WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jun 13 05:57:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 1.862 ug/L

RT: 2.32 min Scan# 382

Delta R.T. 0.00 min

Lab File: VU032675.D

Acq: 13 Jun 2019 00:08

Instrument :
MSVOA_U
ClientSampleId :
COM09

Tot Ion: 43 Resp: 1813

Ion Ratio Lower Upper

43 100

58 24.3 0.0 64.0

