

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061222\
 Data File : VU049084.D
 Acq On : 12 Jun 2022 12:28
 Operator : SY/MD
 Sample : N3255-03
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0DJ1

Quant Time: Jun 13 05:02:46 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jun 13 05:01:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	238053	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	231594	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	97568	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	59360	40.477	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	80.960%		
7) Chloroethane-d5	1.899	69	50546	46.942	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	93.880%		
11) 1,1-Dichloroethene-d2	2.562	63	89476	32.334	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	64.660%		
21) 2-Butanone-d5	4.620	46	150136	93.375	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	93.380%		
24) Chloroform-d	5.063	84	150366	48.064	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.120%		
26) 1,2-Dichloroethane-d4	5.700	65	104932	51.772	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	103.540%		
32) Benzene-d6	5.726	84	273852	47.686	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.380%		
36) 1,2-Dichloropropane-d6	6.690	67	94399	48.897	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	97.800%		
41) Toluene-d8	7.896	98	219408	43.322	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	86.640%		
43) trans-1,3-Dichloroprop...	8.179	79	36853	40.576	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	81.160%		
47) 2-Hexanone-d5	8.632	63	82434	81.585	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	81.580%		
56) 1,1,2,2-Tetrachloroeth...	10.754	84	151353	46.939	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	93.880%		
66) 1,2-Dichlorobenzene-d4	12.195	152	90062	53.052	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	106.100%		
Target Compounds						
					Qvalue	
13) Acetone	2.623	43	7365	5.821	ug/L	99
22) 2-Butanone	4.713	43	7977	4.103	ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061222\
Data File : VU049084.D
Acq On : 12 Jun 2022 12:28
Operator : SY/MD
Sample : N3255-03
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0DJ1

Quant Time: Jun 13 05:02:46 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM061022WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jun 13 05:01:30 2022
Response via : Initial Calibration





#13

Acetone

Concen: 5.821 ug/L

RT: 2.623 min Scan# 399

Delta R.T. -0.000 min

Lab File: VU049084.D

Acq: 12 Jun 2022 12:28

Instrument :

MSVOA_U

ClientSampleId :





C0DJ1

Tgt Ion: 43 Resp: 7365

Ion Ratio Lower Upper

43 100

58 32.5 0.0 66.4



#22

2-Butanone

Concen: 4.103 ug/L

RT: 4.713 min Scan# 1049

Delta R.T. 0.013 min

Lab File: VU049084.D

Acq: 12 Jun 2022 12:28

Tgt Ion: 43 Resp: 7977

Ion Ratio Lower Upper

43 100

72 15.1 13.7 41.0

