

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061419\
 Data File : VU032747.D
 Acq On : 15 Jun 2019 02:18
 Operator : JC/SP
 Sample : K3385-18
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COM66

Quant Time: Jun 17 15:15:18 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat Jun 15 03:31:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	98660	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	92404	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	44884	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	25449	3.97	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.40%
7) Chloroethane-d5	1.68	69	23555	4.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.00%
11) 1,1-Dichloroethene-d2	2.27	63	42931	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.18	46	100328	56.04	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.08%
24) Chloroform-d	4.64	84	59868	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.20%
26) 1,2-Dichloroethane-d4	5.30	65	34781	5.79	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	115.80%
32) Benzene-d6	5.33	84	111426	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
36) 1,2-Dichloropropane-d6	6.32	67	38499	5.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	108.80%
41) Toluene-d8	7.56	98	97585	4.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	7.85	79	14031	4.64	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.80%
46) 2-Hexanone-d5	8.31	63	79421	52.38	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	104.76%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	33814	5.67	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	40315	4.99	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.80%


Target Compounds					Ovalue
13) Acetone	2.32	43	3707	2.668 ug/L	94
25) Chloroform	4.67	83	8991	0.727 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061419\
Data File : VU032747.D
Acq On : 15 Jun 2019 02:18
Operator : JC/SP
Sample : K3385-18
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
COM66

Quant Time: Jun 17 15:15:18 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat Jun 15 03:31:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.668 ug/L

RT: 2.32 min Scan# 382

Delta R.T. -0.00 min

Lab File: VU032747.D

Acq: 15 Jun 2019 02:18

Instrument :

MSVOA_U

ClientSampleId :





C0M66

Tot Ion: 43 Resp: 3707

Ion Ratio Lower Upper

43 100

58 27.1 0.0 60.8



#25

Chloroform

Concen: 0.727 ug/L

RT: 4.67 min Scan# 1112

Delta R.T. 0.00 min

Lab File: VU032747.D

Acq: 15 Jun 2019 02:18

Tgt Ion: 83 Resp: 8991

Ion Ratio Lower Upper

83 100

85 69.7 43.8 81.3

