

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061422\
 Data File : VU049116.D
 Acq On : 14 Jun 2022 16:09
 Operator : SY/MD
 Sample : N3278-05 20X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BD2

Quant Time: Jun 15 03:17:36 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 15 03:15:08 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	125726	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.420	117	114430	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	53748	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	49547	4.510	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.200%
7) Chloroethane-d5	1.912	69	38798	5.217	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	104.400%
11) 1,1-Dichloroethene-d2	2.568	65	19853	4.493	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	89.800%
20) 2-Butanone-d5	4.629	46	153969	52.491	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.980%
24) Chloroform-d	5.063	84	91403	5.303	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.000%
26) 1,2-Dichloroethane-d4	5.703	65	54827	5.799	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.000%
32) Benzene-d6	5.729	84	181614	5.268	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.400%
36) 1,2-Dichloropropane-d6	6.693	67	65483	5.597	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	112.000%
41) Toluene-d8	7.899	98	157586	5.077	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.600%
43) trans-1,3-Dichloroprop...	8.182	79	25456	4.897	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	98.000%
46) 2-Hexanone-d5	8.635	63	131314	62.626	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	125.260%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	56643	6.046	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	121.000%#
66) 1,2-Dichlorobenzene-d4	12.195	152	59687	5.787	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.800%
Target Compounds						
					Qvalue	
9) Trichlorofluoromethane	2.137	101	10507	0.857	ug/L	99
47) Tetrachloroethene	8.555	164	51348	8.555	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061422\
Data File : VU049116.D
Acq On : 14 Jun 2022 16:09
Operator : SY/MD
Sample : N3278-05 20X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BD2

Quant Time: Jun 15 03:17:36 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jun 15 03:15:08 2022
Response via : Initial Calibration

