

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU061422\  
 Data File : VU049136.D  
 Acq On : 15 Jun 2022 00:29  
 Operator : SY/MD  
 Sample : N3274-02 250X  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 37 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0B92

Quant Time: Jun 15 07:21:51 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR061422WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Wed Jun 15 05:38:08 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.250  | 114   | 135910   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.417  | 117   | 124877   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152   | 61092    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.597  | 65    | 54964    | 4.628    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 92.600%  |
| 7) Chloroethane-d5            | 1.912  | 69    | 40131    | 4.991    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 99.800%  |
| 11) 1,1-Dichloroethene-d2     | 2.568  | 65    | 22119    | 4.631    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 92.600%  |
| 20) 2-Butanone-d5             | 4.636  | 46    | 186313   | 58.758   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 117.520% |
| 24) Chloroform-d              | 5.067  | 84    | 93379    | 5.012    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 100.200% |
| 26) 1,2-Dichloroethane-d4     | 5.703  | 65    | 54000    | 5.283    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 105.600% |
| 32) Benzene-d6                | 5.729  | 84    | 189764   | 5.044    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 100.800% |
| 36) 1,2-Dichloropropane-d6    | 6.690  | 67    | 65783    | 5.152    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 103.000% |
| 41) Toluene-d8                | 7.899  | 98    | 169482   | 5.003    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 100.000% |
| 43) trans-1,3-Dichloroprop... | 8.182  | 79    | 25386    | 4.475    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 89.600%  |
| 46) 2-Hexanone-d5             | 8.636  | 63    | 120209   | 52.534   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 105.060% |
| 56) 1,1,2,2-Tetrachloroeth... | 10.758 | 84    | 54919    | 5.372    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 107.400% |
| 66) 1,2-Dichlorobenzene-d4    | 12.195 | 152   | 61733    | 5.266    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 105.400% |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU061422\  
Data File : VU049136.D  
Acq On : 15 Jun 2022 00:29  
Operator : SY/MD  
Sample : N3274-02 250X  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 37 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0B92

Quant Time: Jun 15 07:21:51 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR061422WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Wed Jun 15 05:38:08 2022  
Response via : Initial Calibration

