

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061520\
 Data File : VU038907.D
 Acq On : 15 Jun 2020 21:23
 Operator : SY/MD
 Sample : L2975-13DL 10X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF8Q7DL

Quant Time: Jun 16 03:55:59 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061520WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Jun 16 01:57:42 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	283843	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	288849	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	134665	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	89933	6.36	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	127.20%
7) Chloroethane-d5	1.93	69	70944	5.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	102.20%
11) 1,1-Dichloroethene-d2	2.58	63	140126	4.08	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.60%
20) 2-Butanone-d5	4.68	46	318779	62.28	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	124.56%
24) Chloroform-d	5.10	84	183724	5.33	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.60%
26) 1,2-Dichloroethane-d4	5.74	65	110893	5.63	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.60%
32) Benzene-d6	5.76	84	359297	5.59	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.80%
36) 1,2-Dichloropropane-d6	6.72	67	110508	5.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	110.20%
41) Toluene-d8	7.92	98	300037	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.80%
43) trans-1,3-Dichloropropene-	8.20	79	45278	5.11	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	102.20%
46) 2-Hexanone-d5	8.66	63	264131	60.48	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	120.96%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	102577	5.40	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	108.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	126174	5.48	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.60%


Target Compounds					Ovalue
34) Trichloroethene	6.57	95	134496	6.003 ug/L	96
47) Tetrachloroethene	8.57	164	3472	0.202 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061520\
Data File : VU038907.D
Acq On : 15 Jun 2020 21:23
Operator : SY/MD
Sample : L2975-13DL 10X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF8Q7DL

Quant Time: Jun 16 03:55:59 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061520WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Jun 16 01:57:42 2020
Response via : Initial Calibration









#34
 Trichloroethene
 Concen: 6.003 ug/L
 RT: 6.57 min Scan# 1627
 Delta R.T. 0.00 min
 Lab File: VU038907.D
 Acq: 15 Jun 2020 21:23

Instrument :
 MSVOA_U
 ClientSampleId :
 BF8Q7DL

Tot Ion: 95 Resp: 134496
 Ion Ratio Lower Upper
 95 100
 97 64.5 46.1 85.5
 132 92.9 68.2 126.6
 130 96.0 71.0 131.9




Abundance Ion 95.00 (94.70 to 95.70): VU0
 Ion 96.95 (96.65 to 97.65): VU0
 Ion 131.95 (131.65 to 132.65): V
 Ion 129.95 (129.65 to 130.65): V



#47
 Tetrachloroethene
 Concen: 0.202 ug/L
 RT: 8.57 min Scan# 2250
 Delta R.T. 0.00 min
 Lab File: VU038907.D
 Acq: 15 Jun 2020 21:23

Tgt Ion: 164 Resp: 3472
 Ion Ratio Lower Upper
 164 100
 129 83.7 65.5 121.7
 131 84.4 63.9 118.7
 166 133.2 87.9 163.3



Abundance Ion 163.90 (163.60 to 164.60): V
 Ion 128.95 (128.65 to 129.65): V
 Ion 130.95 (130.65 to 131.65): V
 Ion 165.90 (165.60 to 166.60): V

