

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061523\
 Data File : VU054543.D
 Acq On : 15 Jun 2023 23:07
 Operator : MD/SY
 Sample : 03253-18
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXYY5

Quant Time: Jun 16 02:43:33 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 14 00:05:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	269271	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	258504	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	125400	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	57821	3.374	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.400%
7) Chloroethane-d5	1.914	69	74625	4.651	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	93.000%
11) 1,1-Dichloroethene-d2	2.563	65	27853	3.639	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.800%
20) 2-Butanone-d5	4.631	46	234641	48.700	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	97.400%
24) Chloroform-d	5.059	84	166977	4.662	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.200%
26) 1,2-Dichloroethane-d4	5.698	65	83889	4.804	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.000%
32) Benzene-d6	5.724	84	318709	4.435	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.800%
36) 1,2-Dichloropropane-d6	6.689	67	111622	4.651	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.000%
41) Toluene-d8	7.894	98	259848	4.075	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.400%
43) trans-1,3-Dichloroprop...	8.177	79	32084	3.845	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.800%
46) 2-Hexanone-d5	8.631	63	158788	45.353	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.700%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	84322	4.712	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	94.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	104339	4.933	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.600%
Target Compounds					Qvalue	
13) Acetone	2.644	43	28948	6.372	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061523\
Data File : VU054543.D
Acq On : 15 Jun 2023 23:07
Operator : MD/SY
Sample : 03253-18
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXYY5

Quant Time: Jun 16 02:43:33 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR060723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jun 14 00:05:43 2023
Response via : Initial Calibration





#13

Acetone

Concen: 6.372 ug/L

RT: 2.644 min Scan# 41

Delta R.T. -0.006 min

Lab File: VU054543.D


Acq: 15 Jun 2023 23:07

Instrument :

MSVOA_U

ClientSampleId :

EXYY5



Tgt Ion: 43 Resp: 28948

Ion Ratio Lower Upper

43 100

58 33.7 0.0 67.2

