

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU061722\  
 Data File : VU049262.D  
 Acq On : 17 Jun 2022 22:31  
 Operator : SY/MD  
 Sample : N3288-19  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 30 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VHBLK001

Quant Time: Jun 18 05:51:18 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR061422WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Sat Jun 18 05:20:12 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.250  | 114   | 130587   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 9.417  | 117   | 122641   | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.812 | 152   | 60569    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.597  | 65    | 42197    | 3.698    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 74.000%  |
| 7) Chloroethane-d5            | 1.912  | 69    | 31642    | 4.096    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 82.000%  |
| 11) 1,1-Dichloroethene-d2     | 2.565  | 65    | 15910    | 3.467    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 69.400%  |
| 20) 2-Butanone-d5             | 4.636  | 46    | 152953   | 50.203   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 100.400% |
| 24) Chloroform-d              | 5.067  | 84    | 75014    | 4.190    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 83.800%  |
| 26) 1,2-Dichloroethane-d4     | 5.703  | 65    | 43925    | 4.473    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 89.400%  |
| 32) Benzene-d6                | 5.729  | 84    | 146640   | 3.969    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 79.400%  |
| 36) 1,2-Dichloropropane-d6    | 6.690  | 67    | 51319    | 4.093    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 81.800%  |
| 41) Toluene-d8                | 7.899  | 98    | 123563   | 3.714    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 74.200%  |
| 43) trans-1,3-Dichloroprop... | 8.179  | 79    | 18933    | 3.399    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 68.000%  |
| 46) 2-Hexanone-d5             | 8.636  | 63    | 110688   | 49.255   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 98.500%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.758 | 84    | 45384    | 4.520    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 90.400%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.195 | 152   | 49335    | 4.245    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 84.800%  |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU061722\  
Data File : VU049262.D  
Acq On : 17 Jun 2022 22:31  
Operator : SY/MD  
Sample : N3288-19  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 30 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VHBLK001

Quant Time: Jun 18 05:51:18 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR061422WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Sat Jun 18 05:20:12 2022  
Response via : Initial Calibration

