

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061722\
 Data File : VU049270.D
 Acq On : 18 Jun 2022 01:42
 Operator : SY/MD
 Sample : N3285-22
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW4R4

Quant Time: Jun 18 05:53:17 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jun 18 05:20:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	121884	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	114263	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	56204	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.594	65	35708	3.353	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	67.000%
7) Chloroethane-d5	1.909	69	27853	3.863	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	77.200%
11) 1,1-Dichloroethene-d2	2.562	65	14036	3.277	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.600%
20) 2-Butanone-d5	4.671	46	132442	46.575	ug/L	0.04
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.140%
24) Chloroform-d	5.063	84	68957	4.127	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.600%
26) 1,2-Dichloroethane-d4	5.703	65	39896	4.353	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.000%
32) Benzene-d6	5.726	84	132311	3.844	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	76.800%
36) 1,2-Dichloropropane-d6	6.693	67	47920	4.102	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.000%
41) Toluene-d8	7.899	98	110625	3.569	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.400%
43) trans-1,3-Dichloroprop...	8.182	79	16184	3.118	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	62.400%
46) 2-Hexanone-d5	8.639	63	98013	46.813	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.620%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	40569	4.337	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.800%
66) 1,2-Dichlorobenzene-d4	12.192	152	43946	4.075	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	81.400%
Target Compounds						
					Qvalue	
14) Carbon disulfide	2.784	76	16082	0.710	ug/L	96
33) Benzene	5.774	78	3733	0.110	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061722\
Data File : VU049270.D
Acq On : 18 Jun 2022 01:42
Operator : SY/MD
Sample : N3285-22
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW4R4

Quant Time: Jun 18 05:53:17 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jun 18 05:20:12 2022
Response via : Initial Calibration

