

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061818\  
 Data File : VU024686.D  
 Acq On : 18 Jun 2018 12:59  
 Operator : MD/SY  
 Sample : J3463-01  
 Misc : 5.0mL/MSVOA U/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 TB-061218-02

Quant Time: Jun 19 10:09:03 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\82U061318W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Jun 13 13:55:26 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 4.99  | 168  | 201807   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 5.89  | 114  | 325038   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 9.09  | 117  | 295612   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 11.49 | 152  | 144277   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 5.31   | 65  | 139183   | 42.25 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 84.50% |      |
| 35) Dibromofluoromethane    | 4.89   | 113 | 127379   | 47.22 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 94.44% |      |
| 50) Toluene-d8              | 7.57   | 98  | 468515   | 47.62 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 95.24% |      |
| 62) 4-Bromofluorobenzene    | 10.31  | 95  | 162694   | 41.64 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 83.28% |      |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061818\  
Data File : VU024686.D  
Acq On : 18 Jun 2018 12:59  
Operator : MD/SY  
Sample : J3463-01  
Misc : 5.0mL/MSVOA U/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
TB-061218-02

Quant Time: Jun 19 10:09:03 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\82U061318W.M  
Quant Title : SW846 8260  
QLast Update : Wed Jun 13 13:55:26 2018  
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 4.99 min Scan# 1368

Delta R.T. 0.00 min

Lab File: VU024686.D

Acq: 18 Jun 2018 12:59

Instrument :

MSVOA\_U

ClientSampleId :


TB-061218-02

Tot Ion:168 Resp: 201807

Ion Ratio Lower Upper




168 100

99 51.9 43.2 64.8



Abundance Ion 167.90 (167.60 to 168.60): VU024686.D (-1275) (-)

Ion 98.90 (98.60 to 99.60): VU024686.D (-1275) (-)



#33

1,2-Dichloroethane-d4

Concen: 42.25 ug/l

RT: 5.31 min Scan# 1469

Delta R.T. 0.00 min

Lab File: VU024686.D


Acq: 18 Jun 2018 12:59

Tgt Ion: 65 Resp: 139183

Ion Ratio Lower Upper



65 100


67 54.5 0.0 107.0



Abundance Ion 64.90 (64.60 to 65.60): VU024686.D (-1376) (-)

Ion 66.90 (66.60 to 67.60): VU024686.D (-1376) (-)





#34

1,4-Difluorobenzene

Concen: 50.00 ug/l

RT: 5.89 min Scan# 1649

Delta R.T. 0.00 min

Lab File: VU024686.D

Acq: 18 Jun 2018 12:59

Instrument :

MSVOA\_U

ClientSampleId :

TB-061218-02


Tot Ion:114 Resp: 325038

Ion Ratio Lower Upper

114 100

63 19.3 0.0 45.4




88 15.6 0.0 31.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VU0

Ion 87.90 (87.60 to 88.60): VU0



#35

Dibromofluoromethane

Concen: 47.22 ug/l

RT: 4.89 min Scan# 1337

Delta R.T. 0.00 min

Lab File: VU024686.D

Acq: 18 Jun 2018 12:59


Tgt Ion:113 Resp: 127379

Ion Ratio Lower Upper

113 100

111 103.3 82.2 123.4



192 21.7 16.2 24.4




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 47.62 ug/l

RT: 7.57 min Scan# 2171

Delta R.T. 0.00 min

Lab File: VU024686.D

Acq: 18 Jun 2018 12:59

Instrument :

MSVOA\_U

ClientSampleId :





TB-061218-02

Tot Ion: 98 Resp: 468515

Ion Ratio Lower Upper

98 100

100 62.6 51.1 76.7



#62

4-Bromofluorobenzene

Concen: 41.64 ug/l

RT: 10.31 min Scan# 3023

Delta R.T. 0.00 min

Lab File: VU024686.D

Acq: 18 Jun 2018 12:59




Tgt Ion: 95 Resp: 162694


Ion Ratio Lower Upper

95 100

174 86.6 0.0 165.8

176 83.4 0.0 159.4









#63  
Chlorobenzene-d5  
Concen: 50.00 ug/l  
RT: 9.09 min Scan# 2645  
Delta R.T. 0.00 min  
Lab File: VU024686.D  
Acq: 18 Jun 2018 12:59

Instrument :  
MSVOA\_U  
ClientSampleId :  
TB-061218-02

| Tot Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 117     | 100   |       |       |
| 82      | 54.0  | 44.3  | 66.5  |
| 119     | 32.6  | 25.4  | 38.2  |




Abundance Ion 116.90 (116.60 to 117.60): V  
Ion 82.00 (81.70 to 82.70): V  
Ion 118.90 (118.60 to 119.60): V



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.00 ug/l  
RT: 11.49 min Scan# 3389  
Delta R.T. 0.00 min  
Lab File: VU024686.D  
Acq: 18 Jun 2018 12:59

| Tgt Ion | Ratio | Lower | Upper |
|---------|-------|-------|-------|
| 152     | 100   |       |       |
| 115     | 57.7  | 43.0  | 129.0 |
| 150     | 161.3 | 0.0   | 354.0 |



Abundance Ion 151.90 (151.60 to 152.60): V  
Ion 114.90 (114.60 to 115.60): V  
Ion 149.90 (149.60 to 150.60): V

