

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061820\
 Data File : VU038966.D
 Acq On : 18 Jun 2020 13:46
 Operator : SY/MD
 Sample : L3058-14
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9L70

Quant Time: Jun 19 01:45:06 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 19 01:17:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	377752	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	309292	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	147408	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	75589	2.88	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.60%
7) Chloroethane-d5	1.93	69	95388	4.33	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.60%
11) 1,1-Dichloroethene-d2	2.59	63	122384	2.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	46.00%#
20) 2-Butanone-d5	4.67	46	311628	37.13	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	74.26%
24) Chloroform-d	5.10	84	172995	3.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	66.40%#
26) 1,2-Dichloroethane-d4	5.74	65	104529	3.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.60%#
32) Benzene-d6	5.76	84	334650	4.14	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.80%
36) 1,2-Dichloropropane-d6	6.72	67	108359	4.33	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.60%
41) Toluene-d8	7.92	98	270572	3.73	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.60%
43) trans-1,3-Dichloropropene-	8.20	79	44228	3.86	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.20%
46) 2-Hexanone-d5	8.66	63	264541	43.85	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.70%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	97241	4.13	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.60%
64) 1,2-Dichlorobenzene-d4	12.20	152	118527	4.30	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	86.00%


Target Compounds					Ovalue
13) Acetone	2.67	43	5897	1.031 ug/L	83
42) Toluene	7.99	91	14460	0.151 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061820\
Data File : VU038966.D
Acq On : 18 Jun 2020 13:46
Operator : SY/MD
Sample : L3058-14
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9L70

Quant Time: Jun 19 01:45:06 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 19 01:17:22 2020
Response via : Initial Calibration





#13

Acetone

Concen: 1.031 ug/L

RT: 2.67 min Scan# 413

Delta R.T. -0.00 min

Lab File: VU038966.D

Acq: 18 Jun 2020 13:46

Instrument :

MSVOA_U

ClientSampleId :





F9L70

Tot Ion: 43 Resp: 5897

Ion Ratio Lower Upper

43 100

58 23.0 0.0 65.0



#42

Toluene

Concen: 0.151 ug/L

RT: 7.99 min Scan# 2069

Delta R.T. -0.00 min

Lab File: VU038966.D

Acq: 18 Jun 2020 13:46

Tgt Ion: 91 Resp: 14460

Ion Ratio Lower Upper

91 100

92 59.6 41.6 77.2

