

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061820\
 Data File : VU038969.D
 Acq On : 18 Jun 2020 14:55
 Operator : SY/MD
 Sample : L3058-03
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9L30

Quant Time: Jun 19 01:59:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 19 01:17:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.31	114	269319	5.00	ug/L	0.03
28) Chlorobenzene-d5	9.44	117	271914	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	131828	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.63	65	81889	4.38	ug/L	0.02
Spiked Amount	5.000	Range	40 - 130	Recovery	=	87.60%
7) Chloroethane-d5	1.95	69	92786	5.90	ug/L	0.02
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.00%
11) 1,1-Dichloroethene-d2	2.60	63	179552	4.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	94.80%
20) 2-Butanone-d5	4.79	46	249808	41.75	ug/L	0.12
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.50%
24) Chloroform-d	5.14	84	187892	5.06	ug/L	0.04
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.20%
26) 1,2-Dichloroethane-d4	5.78	65	108235	5.05	ug/L	0.04
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.00%
32) Benzene-d6	5.80	84	351167	4.94	ug/L	0.04
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.80%
36) 1,2-Dichloropropane-d6	6.75	67	112842	5.13	ug/L	0.02
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.60%
41) Toluene-d8	7.93	98	280029	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.00%
43) trans-1,3-Dichloropropene-	8.21	79	43908	4.36	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.20%
46) 2-Hexanone-d5	8.67	63	270289	50.96	ug/L	0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.92%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	103554	5.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	122511	4.97	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.40%


Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	4.74	96	5827	0.285 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061820\
Data File : VU038969.D
Acq On : 18 Jun 2020 14:55
Operator : SY/MD
Sample : L3058-03
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9L30

Quant Time: Jun 19 01:59:50 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 19 01:17:22 2020
Response via : Initial Calibration





#22
 cis-1,2-Dichloroethene
 Concen: 0.285 ug/L
 RT: 4.74 min Scan# 1056
 Delta R.T. 0.03 min
 Lab File: VU038969.D
 Acq: 18 Jun 2020 14:55

Instrument :
 MSVOA_U
 ClientSampleId :
 F9L30

Tot Ion: 96 Resp: 5827
 Ion Ratio Lower Upper
 96 100
 61 121.8 93.7 173.9
 68 0.0 0.0 0.0

