

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061820\
 Data File : VU038977.D
 Acq On : 18 Jun 2020 18:00
 Operator : SY/MD
 Sample : L3058-11
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9L43

Quant Time: Jun 19 02:36:19 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 19 01:17:22 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	264695	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	331867	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	126939	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	71517	3.89	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.80%
7) Chloroethane-d5	1.93	69	71317	4.62	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.40%
11) 1,1-Dichloroethene-d2	2.59	63	132091	3.54	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.80%
20) 2-Butanone-d5	4.67	46	338997	57.65	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	115.30%
24) Chloroform-d	5.10	84	180969	4.96	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.20%
26) 1,2-Dichloroethane-d4	5.74	65	110548	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.00%
32) Benzene-d6	5.76	84	341526	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.80%
36) 1,2-Dichloropropane-d6	6.72	67	109595	4.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.80%
41) Toluene-d8	7.92	98	270636	3.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	69.60%#
43) trans-1,3-Dichloropropene-	8.20	79	44848	3.65	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	73.00%
46) 2-Hexanone-d5	8.66	63	276353	42.69	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.38%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	105244	4.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.40%
64) 1,2-Dichlorobenzene-d4	12.20	152	119385	5.03	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.60%


Target Compounds					Ovalue
13) Acetone	2.67	43	9611	2.398 ug/L	68


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU061820\
Data File : VU038977.D
Acq On : 18 Jun 2020 18:00
Operator : SY/MD
Sample : L3058-11
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9L43

Quant Time: Jun 19 02:36:19 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR061720WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 19 01:17:22 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.398 ug/L

RT: 2.67 min Scan# 413

Delta R.T. -0.00 min

Lab File: VU038977.D

Acq: 18 Jun 2020 18:00

Instrument :

MSVOA_U

ClientSampleId :

F9L43

Tot Ion: 43 Resp: 9611

Ion Ratio Lower Upper

43 100

58 14.5 0.0 65.0

