

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061919\
 Data File : VU032864.D
 Acq On : 19 Jun 2019 17:41
 Operator : JC/SP
 Sample : K3413-19
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GALG7

Manual Integrations
 APPROVED

MMDadoda
 6/20/2019 10:25:17 AM

Quant Time: Jun 20 08:12:14 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Jun 20 07:24:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	124463	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	155359	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	93284	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.39	65	32055	3.96	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.20%
7) Chloroethane-d5	1.68	69	35752	5.17	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	103.40%
11) 1,1-Dichloroethene-d2	2.27	63	53656	3.27	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.40%
20) 2-Butanone-d5	4.18	46	120275	53.26	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.52%
24) Chloroform-d	4.64	84	70615	4.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.40%
26) 1,2-Dichloroethane-d4	5.31	65	61822	8.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	163.20%#
32) Benzene-d6	5.34	84	145295	3.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	75.20%
36) 1,2-Dichloropropane-d6	6.33	67	48688	4.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	81.80%
41) Toluene-d8	7.59	98	176608	4.95	ug/L	0.04
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.00%
43) trans-1,3-Dichloropropene-	7.86	79	42155	8.29	ug/L	0.02
Spiked Amount	5.000	Range	55 - 130	Recovery	=	165.80%#
46) 2-Hexanone-d5	8.31	63	144887	56.84	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.68%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	56385	5.62	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	86211	5.14	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.80%

Target Compounds

Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
14) Carbon disulfide	2.47	76	9421m	0.372	ug/L	
27) 1,2-Dichloroethane	5.39	62	228413	22.276	ug/L #	81
30) Cyclohexane	4.99	56	3489422	174.393	ug/L	92
33) Benzene	5.38	78	20997561m	458.410	ug/L	
35) Methylcyclohexane	6.41	83	1558894	73.566	ug/L #	86
42) Toluene	7.63	91	73992762m	1449.409	ug/L	
52) Ethylbenzene	9.24	91	32620869m	579.820	ug/L	
53) m,p-Xylene	9.39	106	39049908m	1830.832	ug/L	
54) o-Xylene	9.79	106	27901449m	1310.721	ug/L	
56) Isopropylbenzene	10.17	105	2814350	50.122	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU061919\
Data File : VU032864.D
Acq On : 19 Jun 2019 17:41
Operator : JC/SP
Sample : K3413-19
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GALG7

Manual Integrations
APPROVED

MMDadoda
6/20/2019 10:25:17 AM

Quant Time: Jun 20 08:12:14 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Jun 20 07:24:34 2019
Response via : Initial Calibration

