

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059348.D
 Acq On : 19 Jun 2024 13:08
 Operator : MD/SY
 Sample : P2856-15
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Jun 20 06:00:00 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	143809	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	151239	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	65779	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	41467	4.147	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	83.000%	
7) Chloroethane-d5	1.908	69	43191	4.489	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	89.800%	
11) 1,1-Dichloroethene-d2	2.560	65	17762	4.281	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	85.600%	
20) 2-Butanone-d5	4.618	46	117237	56.916	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	113.840%	
24) Chloroform-d	5.055	84	94570	4.607	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.200%	
26) 1,2-Dichloroethane-d4	5.695	65	48933	4.949	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.000%	
32) Benzene-d6	5.721	84	180983	4.348	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.000%	
36) 1,2-Dichloropropane-d6	6.686	67	59815	4.690	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.800%	
41) Toluene-d8	7.894	98	146920	3.797	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	76.000%	
43) trans-1,3-Dichloroprop...	8.177	79	17261	4.322	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	86.400%	
46) 2-Hexanone-d5	8.628	63	83709	50.444	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	100.880%	
56) 1,1,2,2-Tetrachloroeth...	10.753	84	52681	4.999	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	100.000%	
66) 1,2-Dichlorobenzene-d4	12.190	152	55923	4.777	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	95.600%	
Target Compounds						
22) cis-1,2-Dichloroethene	4.666	96	2059	0.176	ug/L #	74
35) Methylcyclohexane	6.686	83	13324	0.753	ug/L #	19
37) 1,2-Dichloropropane	6.686	63	6302	0.530	ug/L #	90
61) 1,2,3-Trichloropropane	11.807	75	7273	1.196	ug/L #	68

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059348.D
Acq On : 19 Jun 2024 13:08
Operator : MD/SY
Sample : P2856-15
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Jun 20 06:00:00 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration

