

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059349.D
 Acq On : 19 Jun 2024 13:33
 Operator : MD/SY
 Sample : P2898-17
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Jun 20 06:00:06 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	139729	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	148758	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	63693	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	39588	4.075	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	81.400%	
7) Chloroethane-d5	1.907	69	42066	4.500	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	90.000%	
11) 1,1-Dichloroethene-d2	2.560	65	16201	4.019	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	80.400%	
20) 2-Butanone-d5	4.615	46	121688	60.802	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	121.600%	
24) Chloroform-d	5.055	84	91927	4.610	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.200%	
26) 1,2-Dichloroethane-d4	5.695	65	48015	4.998	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	100.000%	
32) Benzene-d6	5.721	84	176998	4.323	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.400%	
36) 1,2-Dichloropropane-d6	6.685	67	59127	4.713	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	94.200%	
41) Toluene-d8	7.894	98	143180	3.762	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	75.200%	
43) trans-1,3-Dichloroprop...	8.177	79	17670	4.498	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	90.000%	
46) 2-Hexanone-d5	8.627	63	85060	52.113	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	104.220%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	53176	5.130	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	102.600%	
66) 1,2-Dichlorobenzene-d4	12.190	152	56781	5.009	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	100.200%	
Target Compounds						
2) Dichlorodifluoromethane	1.380	85	11397	0.963	ug/L	98
13) Acetone	2.448	43	159720	123.026	ug/L	43
15) Methyl Acetate	2.769	43	1317184	384.468	ug/L #	51
35) Methylcyclohexane	6.685	83	13820	0.794	ug/L #	18
37) 1,2-Dichloropropane	6.685	63	6216	0.532	ug/L #	90
42) Toluene	7.968	91	15459	0.323	ug/L	98
61) 1,2,3-Trichloropropane	11.811	75	7187	1.221	ug/L #	65

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059349.D
Acq On : 19 Jun 2024 13:33
Operator : MD/SY
Sample : P2898-17
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Jun 20 06:00:06 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration

