

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059339.D
 Acq On : 19 Jun 2024 09:33
 Operator : MD/SY
 Sample : P2856-22
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 COSJ4

Quant Time: Jun 20 05:59:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	162859	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	166280	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	74529	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	44319	3.914	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	78.200%
7) Chloroethane-d5	1.907	69	47212	4.333	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.600%
11) 1,1-Dichloroethene-d2	2.563	65	18208	3.876	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.600%
20) 2-Butanone-d5	4.624	46	124556	53.396	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.800%
24) Chloroform-d	5.055	84	98235	4.226	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.600%
26) 1,2-Dichloroethane-d4	5.695	65	51402	4.591	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.800%
32) Benzene-d6	5.721	84	195077	4.263	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
36) 1,2-Dichloropropane-d6	6.685	67	62971	4.491	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	89.800%
41) Toluene-d8	7.894	98	158405	3.723	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.400%
43) trans-1,3-Dichloroprop...	8.177	79	18975	4.321	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.400%
46) 2-Hexanone-d5	8.627	63	87839	48.145	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.280%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	53909	4.653	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.000%
66) 1,2-Dichlorobenzene-d4	12.190	152	63449	4.783	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.600%
Target Compounds						
					Qvalue	
13) Acetone	2.634	43	22212	14.679	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059339.D
Acq On : 19 Jun 2024 09:33
Operator : MD/SY
Sample : P2856-22
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0SJ4

Quant Time: Jun 20 05:59:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 14.679 ug/L
 RT: 2.634 min Scan# 41
 Delta R.T. -0.006 min
 Lab File: VU059339.D
 Acq: 19 Jun 2024 09:33

Instrument :
 MSVOA_U
 ClientSampleId :
 C0SJ4

Tgt Ion: 43 Resp: 22212
 Ion Ratio Lower Upper
 43 100
 58 35.3 0.0 68.0

