

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059340.D
 Acq On : 19 Jun 2024 09:57
 Operator : MD/SY
 Sample : P2873-02
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0SG6

Quant Time: Jun 20 05:59:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	158138	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	165811	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	73891	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	44669	4.062	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.200%
7) Chloroethane-d5	1.911	69	45645	4.314	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.200%
11) 1,1-Dichloroethene-d2	2.560	65	18151	3.979	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	79.600%
20) 2-Butanone-d5	4.621	46	126899	56.025	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.040%
24) Chloroform-d	5.055	84	99308	4.400	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.000%
26) 1,2-Dichloroethane-d4	5.695	65	50808	4.673	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.400%
32) Benzene-d6	5.721	84	194445	4.261	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.200%
36) 1,2-Dichloropropane-d6	6.685	67	63078	4.511	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.200%
41) Toluene-d8	7.894	98	157952	3.723	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.400%
43) trans-1,3-Dichloroprop...	8.177	79	19247	4.396	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.000%
46) 2-Hexanone-d5	8.627	63	88012	48.376	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.760%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	53878	4.663	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	64258	4.886	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.800%
Target Compounds					Qvalue	
13) Acetone	2.634	43	12414	8.449	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059340.D
Acq On : 19 Jun 2024 09:57
Operator : MD/SY
Sample : P2873-02
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0SG6


Quant Time: Jun 20 05:59:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 8.449 ug/L
 RT: 2.634 min Scan# 41
 Delta R.T. -0.006 min
 Lab File: VU059340.D
 Acq: 19 Jun 2024 09:57

Instrument :
 MSVOA_U
 ClientSampleId :
 C0SG6



Tgt Ion: 43 Resp: 12414
 Ion Ratio Lower Upper
 43 100
 58 35.2 0.0 68.0

