

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059355.D
 Acq On : 19 Jun 2024 15:53
 Operator : MD/SY
 Sample : P2960-04
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHAZ1

Quant Time: Jun 20 06:00:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	141749	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	145839	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.810	152	64406	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	39963	4.055	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.000%
7) Chloroethane-d5	1.907	69	43383	4.574	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.400%
11) 1,1-Dichloroethene-d2	2.560	65	16086	3.934	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	78.600%
20) 2-Butanone-d5	4.618	46	123433	60.795	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	121.600%
24) Chloroform-d	5.055	84	93009	4.597	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.000%
26) 1,2-Dichloroethane-d4	5.698	65	51254	5.259	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.200%
32) Benzene-d6	5.721	84	178306	4.442	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.800%
36) 1,2-Dichloropropane-d6	6.685	67	59224	4.815	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.400%
41) Toluene-d8	7.894	98	139935	3.750	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.000%
43) trans-1,3-Dichloroprop...	8.177	79	17375	4.512	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	90.200%
46) 2-Hexanone-d5	8.627	63	85833	53.639	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	107.280%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	52395	5.156	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	56726	4.949	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.000%
Target Compounds					Qvalue	
13) Acetone	2.624	43	13034	9.897	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059355.D
Acq On : 19 Jun 2024 15:53
Operator : MD/SY
Sample : P2960-04
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHAZ1

Quant Time: Jun 20 06:00:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 9.897 ug/L
 RT: 2.624 min Scan# 41
 Delta R.T. -0.016 min
 Lab File: VU059355.D
 Acq: 19 Jun 2024 15:53

Instrument :
 MSVOA_U
 ClientSampleId :
 BHAZ1

Tgt Ion: 43 Resp: 13034
 Ion Ratio Lower Upper
 43 100
 58 38.3 0.0 68.0

