

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
 Data File : VU059357.D
 Acq On : 19 Jun 2024 16:41
 Operator : MD/SY
 Sample : P2960-16
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BHB65

Quant Time: Jun 20 06:00:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	142297	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	148169	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	65624	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	40934	4.137	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.800%
7) Chloroethane-d5	1.908	69	42517	4.466	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	89.400%
11) 1,1-Dichloroethene-d2	2.560	65	16438	4.004	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.000%
20) 2-Butanone-d5	4.618	46	121687	59.704	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.400%
24) Chloroform-d	5.056	84	91838	4.522	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.400%
26) 1,2-Dichloroethane-d4	5.695	65	48635	4.971	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.400%
32) Benzene-d6	5.721	84	176541	4.329	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.600%
36) 1,2-Dichloropropane-d6	6.686	67	58686	4.697	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.000%
41) Toluene-d8	7.895	98	139054	3.668	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.400%
43) trans-1,3-Dichloroprop...	8.178	79	17420	4.452	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.000%
46) 2-Hexanone-d5	8.628	63	83909	51.612	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.220%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	51515	4.990	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.800%
66) 1,2-Dichlorobenzene-d4	12.190	152	57457	4.919	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.400%
Target Compounds						
					Qvalue	
13) Acetone	2.625	43	12884	9.745	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061924\
Data File : VU059357.D
Acq On : 19 Jun 2024 16:41
Operator : MD/SY
Sample : P2960-16
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BHB65


Quant Time: Jun 20 06:00:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 9.745 ug/L
 RT: 2.625 min Scan# 41
 Delta R.T. -0.016 min
 Lab File: VU059357.D
 Acq: 19 Jun 2024 16:41

Instrument :
 MSVOA_U
 ClientSampleId :
 BHB65



Tgt Ion: 43 Resp: 12884
 Ion Ratio Lower Upper
 43 100
 58 34.2 0.0 68.0

