

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062019\
 Data File : VU032921.D
 Acq On : 20 Jun 2019 23:40
 Operator : JC/SP
 Sample : K3414-06DL 5X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GALM2DL

Quant Time: Jun 21 08:50:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 21 07:36:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	83553	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	82944	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	42172	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	21435	3.95	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	79.00%
7) Chloroethane-d5	1.68	69	20157	4.34	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.80%
11) 1,1-Dichloroethene-d2	2.27	63	35833	3.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.00%
20) 2-Butanone-d5	4.19	46	99265	65.47	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	130.94%#
24) Chloroform-d	4.64	84	52914	5.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.60%
26) 1,2-Dichloroethane-d4	5.31	65	32385	6.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	127.40%
32) Benzene-d6	5.33	84	95314	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.40%
36) 1,2-Dichloropropane-d6	6.32	67	32952	5.19	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.80%
41) Toluene-d8	7.56	98	81163	4.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.20%
43) trans-1,3-Dichloropropene-	7.85	79	13025	4.80	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.00%
46) 2-Hexanone-d5	8.31	63	70409	51.74	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.48%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	30686	5.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	114.60%
64) 1,2-Dichlorobenzene-d4	11.85	152	37098	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%

Target Compounds					Ovalue
31) Carbon tetrachloride	5.13	117	84883	9.237 ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062019\
Data File : VU032921.D
Acq On : 20 Jun 2019 23:40
Operator : JC/SP
Sample : K3414-06DL 5X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GALM2DL

Quant Time: Jun 21 08:50:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 21 07:36:10 2019
Response via : Initial Calibration

