

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062019\
 Data File : VU032894.D
 Acq On : 20 Jun 2019 11:49
 Operator : JC/SP
 Sample : K3414-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GALM9

Quant Time: Jun 21 06:37:05 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 21 05:28:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	91513	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	91028	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	46700	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	24120	4.05	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.00%
7) Chloroethane-d5	1.68	69	21477	4.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	84.40%
11) 1,1-Dichloroethene-d2	2.27	63	41539	3.44	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.80%
20) 2-Butanone-d5	4.18	46	99263	59.78	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	119.56%
24) Chloroform-d	4.64	84	56845	5.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.60%
26) 1,2-Dichloroethane-d4	5.31	65	33930	6.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	121.80%
32) Benzene-d6	5.33	84	105173	4.65	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.00%
36) 1,2-Dichloropropane-d6	6.32	67	36186	5.19	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.80%
41) Toluene-d8	7.56	98	96305	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	7.85	79	14170	4.75	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.00%
46) 2-Hexanone-d5	8.31	63	71707	48.01	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.02%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	32448	5.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	110.40%
64) 1,2-Dichlorobenzene-d4	11.85	152	42729	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%


Target Compounds					Ovalue
31) Carbon tetrachloride	5.13	117	2428	0.241 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062019\
Data File : VU032894.D
Acq On : 20 Jun 2019 11:49
Operator : JC/SP
Sample : K3414-13
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GALM9

Quant Time: Jun 21 06:37:05 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 21 05:28:00 2019
Response via : Initial Calibration





#31

Carbon tetrachloride

Concen: 0.241 ug/L

RT: 5.13 min Scan# 1255

Delta R.T. -0.00 min

Lab File: VU032894.D

Acq: 20 Jun 2019 11:49

Instrument :

MSVOA_U

ClientSampleId :

GALM9

Tot Ion:117 Resp: 2428

Ion Ratio Lower Upper

117 100

119 95.4 77.8 116.6

