

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062019\
 Data File : VU032918.D
 Acq On : 20 Jun 2019 22:27
 Operator : JC/SP
 Sample : K3413-08DL 4X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GALF6DL

Quant Time: Jun 21 10:42:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 21 07:36:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	84650	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	83801	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	43449	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	22125	4.02	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.40%
7) Chloroethane-d5	1.68	69	20065	4.26	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.20%
11) 1,1-Dichloroethene-d2	2.27	63	36912	3.31	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.20%
20) 2-Butanone-d5	4.19	46	96626	62.91	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	125.82%
24) Chloroform-d	4.64	84	53977	5.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.40%
26) 1,2-Dichloroethane-d4	5.31	65	32652	6.34	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	126.80%
32) Benzene-d6	5.33	84	97134	4.66	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.20%
36) 1,2-Dichloropropane-d6	6.32	67	32434	5.05	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.00%
41) Toluene-d8	7.56	98	85972	4.46	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.20%
43) trans-1,3-Dichloropropene-	7.85	79	13143	4.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.80%
46) 2-Hexanone-d5	8.31	63	69102	50.26	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.52%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	31190	5.76	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	115.20%
64) 1,2-Dichlorobenzene-d4	11.85	152	37724	4.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.60%


Target Compounds					Ovalue
47) Tetrachloroethene	8.22	164	28753	5.141 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062019\
Data File : VU032918.D
Acq On : 20 Jun 2019 22:27
Operator : JC/SP
Sample : K3413-08DL 4X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GALF6DL

Quant Time: Jun 21 10:42:29 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 21 07:36:10 2019
Response via : Initial Calibration





#47

Tetrachloroethene

Concen: 5.141 ug/L

RT: 8.22 min Scan# 2218

Delta R.T. 0.00 min

Lab File: VU032918.D

Acq: 20 Jun 2019 22:27

Instrument :

MSVOA_U

ClientSampleId :

GALF6DL

Tot Ion:164 Resp: 28753


Ion Ratio Lower Upper

164 100

129 91.7 66.1 122.7

131 90.6 65.6 121.8

166 126.9 93.2 173.2



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

