

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU062019\
 Data File : VU032920.D
 Acq On : 20 Jun 2019 23:16
 Operator : JC/SP
 Sample : K3414-18DL 4X
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GALN4DL

Quant Time: Jun 21 08:47:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jun 21 07:36:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	86272	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.08	117	87167	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	44014	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	21303	3.80	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.00%
7) Chloroethane-d5	1.68	69	19364	4.04	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.80%
11) 1,1-Dichloroethene-d2	2.27	63	35116	3.09	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.80%
20) 2-Butanone-d5	4.19	46	92958	59.38	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.76%
24) Chloroform-d	4.64	84	50841	5.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.20%
26) 1,2-Dichloroethane-d4	5.30	65	30441	5.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.00%
32) Benzene-d6	5.33	84	93499	4.31	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.20%
36) 1,2-Dichloropropane-d6	6.32	67	31537	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.56	98	82824	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.60%
43) trans-1,3-Dichloropropene-	7.85	79	12417	4.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.00%
46) 2-Hexanone-d5	8.31	63	66977	46.83	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	93.66%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	29406	5.22	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.40%
64) 1,2-Dichlorobenzene-d4	11.85	152	36590	4.62	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.40%


Target Compounds					Ovalue
31) Carbon tetrachloride	5.13	117	67005	6.938 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU062019\
Data File : VU032920.D
Acq On : 20 Jun 2019 23:16
Operator : JC/SP
Sample : K3414-18DL 4X
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 35 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GALN4DL

Quant Time: Jun 21 08:47:17 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR060419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jun 21 07:36:10 2019
Response via : Initial Calibration





#31

Carbon tetrachloride

Concen: 6.938 ug/L

RT: 5.13 min Scan# 1255

Delta R.T. 0.00 min

Lab File: VU032920.D

Acq: 20 Jun 2019 23:16

Instrument :

MSVOA_U

ClientSampleId :

GALN4DL

Tot Ion:117 Resp: 67005

Ion Ratio Lower Upper

117 100

119 97.2 77.8 116.6

