

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062118\
 Data File : VU024826.D
 Acq On : 21 Jun 2018 21:21
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 22 05:16:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.626	0.562	10.2	83	0.00
3 P	Chloromethane	0.639	0.582	8.9	88	0.00
4 C	Vinyl Chloride	0.659	0.625	5.2#	87	0.00
5 T	Bromomethane	0.319	0.384	-20.4#	107	0.00
6 T	Chloroethane	0.431	0.401	7.0	95	0.00
7 T	Trichlorofluoromethane	1.006	1.001	0.5	93	0.00
8 T	Diethyl Ether	0.390	0.374	4.1	92	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.624	0.553	11.4	82	0.00
10 T	Methyl Iodide	0.451	0.567	-25.7#	98	0.00
11 T	Tert butyl alcohol	0.199	0.170	14.6	82	0.00
12 CM	1,1-Dichloroethene	0.569	0.527	7.4#	83	0.00
13 T	Acrolein	0.104	0.078	25.0#	70	0.00
14 T	Allyl chloride	1.057	1.017	3.8	90	0.00
15 T	Acrylonitrile	0.386	0.374	3.1	85	0.00
16 T	Acetone	0.439	0.329	25.1#	71	0.00
17 T	Carbon Disulfide	1.823	1.492	18.2	75	0.00
18 T	Methyl Acetate	0.940	0.980	-4.3	95	0.00
19 T	Methyl tert-butyl Ether	2.140	2.078	2.9	88	0.00
20 T	Methylene Chloride	0.688	0.616	10.5	86	0.00
21 T	trans-1,2-Dichloroethene	0.627	0.574	8.5	85	0.00
22 T	Diisopropyl ether	2.096	2.048	2.3	89	0.00
23 T	Vinyl Acetate	1.877	1.789	4.7	85	0.00
24 P	1,1-Dichloroethane	1.205	1.151	4.5	86	0.00
25 T	2-Butanone	0.589	0.546	7.3	81	0.00
26 T	2,2-Dichloropropane	1.145	0.954	16.7	77	0.00
27 T	cis-1,2-Dichloroethene	0.721	0.695	3.6	88	0.00
28 T	Bromochloromethane	0.531	0.428	19.4	68	0.00
29 T	Tetrahydrofuran	0.365	0.349	4.4	87	0.00
30 C	Chloroform	1.220	1.218	0.2#	91	0.00
31 T	Cyclohexane	1.323	1.047	20.9#	85	0.00
32 T	1,1,1-Trichloroethane	1.128	1.101	2.4	91	0.00
33 S	1,2-Dichloroethane-d4	0.816	0.720	11.8	78	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	88	0.00
35 S	Dibromofluoromethane	0.415	0.362	12.8	76	0.00
36 T	1,1-Dichloropropene	0.588	0.551	6.3	85	0.00
37 T	Ethyl Acetate	0.640	0.652	-1.9	85	0.00
38 T	Carbon Tetrachloride	0.646	0.635	1.7	88	0.00
39 T	Methylcyclohexane	0.733	0.677	7.6	84	0.00
40 TM	Benzene	1.674	1.627	2.8	86	0.00
41 T	Methacrylonitrile	0.345	0.368	-6.7	88	0.00
42 TM	1,2-Dichloroethane	0.638	0.655	-2.7	92	0.00
43 T	Isopropyl Acetate	1.107	1.058	4.4	86	0.00
44 TM	Trichloroethene	0.476	0.452	5.0	87	0.00
45 C	1,2-Dichloropropane	0.447	0.446	0.2#	89	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062118\
 Data File : VU024826.D
 Acq On : 21 Jun 2018 21:21
 Operator : MD/SY
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 MSVOA_U
 LabSampleId :
 VSTDCCC050

Quant Time: Jun 22 05:16:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jun 13 13:55:26 2018
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.314	0.315	-0.3	88	0.00
47 T	Bromodichloromethane	0.625	0.623	0.3	89	0.00
48 T	Methyl methacrylate	0.539	0.539	0.0	89	0.00
49 T	1,4-Dioxane	0.011	0.012	-9.1	109	0.00
50 S	Toluene-d8	1.514	1.328	12.3	76	0.00
51 T	4-Methyl-2-Pentanone	0.695	0.693	0.3	89	0.00
52 CM	Toluene	1.077	1.066	1.0#	89	0.00
53 T	t-1,3-Dichloropropene	0.702	0.682	2.8	85	0.00
54 T	cis-1,3-Dichloropropene	0.748	0.701	6.3	84	0.00
55 T	1,1,2-Trichloroethane	0.438	0.440	-0.5	93	0.00
56 T	Ethyl methacrylate	0.733	0.729	0.5	90	0.00
57 T	1,3-Dichloropropane	0.739	0.752	-1.8	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.281	0.236	16.0	73	0.00
59 T	2-Hexanone	0.568	0.552	2.8	88	0.00
60 T	Dibromochloromethane	0.546	0.525	3.8	88	0.00
61 T	1,2-Dibromoethane	0.487	0.489	-0.4	91	0.00
62 S	4-Bromofluorobenzene	0.601	0.529	12.0	78	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	89	0.00
64 T	Tetrachloroethene	0.475	0.448	5.7	84	0.00
65 PM	Chlorobenzene	1.277	1.291	-1.1	91	0.00
66 T	1,1,1,2-Tetrachloroethane	0.485	0.496	-2.3	93	0.00
67 C	Ethyl Benzene	2.239	2.220	0.8#	90	0.00
68 T	m/p-Xylenes	0.860	0.878	-2.1	92	0.00
69 T	o-Xylene	0.851	0.865	-1.6	93	0.00
70 T	Styrene	1.398	1.429	-2.2	92	0.00
71 P	Bromoform	0.461	0.442	4.1	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.839	3.835	0.1	94	0.00
74 T	N-amyl acetate	1.826	1.721	5.8	88	0.00
75 P	1,1,2,2-Tetrachloroethane	1.286	1.295	-0.7	97	0.00
76 T	1,2,3-Trichloropropane	1.101	1.114	-1.2	94	0.00
77 T	Bromobenzene	0.972	0.963	0.9	93	0.00
78 T	n-propylbenzene	4.522	4.343	4.0	89	0.00
79 T	2-Chlorotoluene	2.667	2.654	0.5	94	0.00
80 T	1,3,5-Trimethylbenzene	3.327	3.319	0.2	95	0.00
81 T	trans-1,4-Dichloro-2-butene	0.476	0.403	15.3	80	0.00
82 T	4-Chlorotoluene	3.104	3.055	1.6	92	0.00
83 T	tert-Butylbenzene	3.201	3.298	-3.0	97	0.00
84 T	1,2,4-Trimethylbenzene	3.391	3.399	-0.2	94	0.00
85 T	sec-Butylbenzene	4.006	3.955	1.3	92	0.00
86 T	p-Isopropyltoluene	3.588	3.541	1.3	93	0.00
87 T	1,3-Dichlorobenzene	1.795	1.791	0.2	94	0.00
88 T	1,4-Dichlorobenzene	1.807	1.818	-0.6	94	0.00
89 T	n-Butylbenzene	3.186	2.949	7.4	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA U\Data\VU062118\
Data File : VU024826.D
Acq On : 21 Jun 2018 21:21
Operator : MD/SY
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 28 Sample Multiplier: 1

Instrument :
MSVOA_U
LabSampleId :
VSTDCCC050

Quant Time: Jun 22 05:16:20 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\82U061318W.M
Quant Title : SW846 8260
QLast Update : Wed Jun 13 13:55:26 2018
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.700	0.636	9.1	88	0.00
91 T	1,2-Dichlorobenzene	1.798	1.842	-2.4	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.355	0.349	1.7	89	0.00
93 T	1,2,4-Trichlorobenzene	1.111	1.224	-10.2	92	0.00
94 T	Hexachlorobutadiene	0.625	0.620	0.8	92	0.00
95 T	Naphthalene	3.293	4.086	-24.1#	99	0.00
96 T	1,2,3-Trichlorobenzene	1.107	1.284	-16.0	96	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6